

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.







UNITED STATES DEPARTMENT OF AGRICULTURE

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE

SERVICE AND REGULATORY ANNOUNCEMENTS

LIST OF INTERCEPTED PLANT PESTS, 1939

(List of Pests Recorded During the Period July 1, 1938, to June 30, 1939, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory.)

INTRODUCTION

The period covered by this report is the twenty-sixth year for which lists of interceptions have been issued. The detailed table showing pest interceptions from various countries is limited to species of particular interest or importance. Brief summaries indicate some of the commoner species noted during the course of inspection. Following the introduction are notes calling attention to some of the more interesting findings.

The records summarized in this report cover some of the pests intercepted in, on, or with plants and plant products (1) imported, (2) offered for but refused entry, (3) held as ships' stores, etc., and hence not imported through customs, (4) offered for entry for immediate export or for immediate transportation and exportation in bond, and (5) in domestic shipments reaching the mainland from

Hawaii and Puerto Rico.

Collections made late in the year are often included in the report for the following year, especially if not determined immediately. The data on which this paper is based are on file in Washington, D. C. In addition to routine reports and determinations by the personnel of this Bureau, State and customs officials furnish considerable information. Staffs of specialists maintained by the States of California and Florida and the Territory of Hawaii determine most of the interceptions made there, and specialists in the Bureau of Plant Industry determine a large part of the more difficult plant disease material.

The alleged origin of plant materials cannot be verified in all cases. Obviously

doubtful items are either omitted or the origin is listed as unknown.

NOTES ON INSECTS INTERCEPTED FRUITFLIES

The following fruitflies were intercepted: Anastrepha distincta in Inga sp. pod from Mexico; A. fraterculus in orange from Brazil, peach from Mexico, and cherimoya from Peru; Mexican fruitfly (A. ludens) in apple, avocado, grapefruit, lemon, mango, orange, pear, pomegranate, quince, sour orange, sweet lime, and tangerine from Mexico; A. mombinpraeoptans in mango from Cuba, Jamaica, Mexico, and Puerto Rico, and yellow mombin and (larvae and puparia) in wrapping around this fruit from Puerto Rico; dark fruitfly (A. serpentina) in sapodilla from Colombia, manney and sapote from Mexico, and orange from unknown locality; A. striata in guava from Mexico; A. suspensa in bitter orange and guava from Puerto Rico; Anastrepha sp. in mango from Bahamas, Haiti, Panama, Peru, Puerto Rico, St. Lucia, and Venezuela, hog plum and mango from Colombia, mango and Passiflora sp. from Costa Rica, guava, Indian-almond, mango and in box in which mangoes had been kept in ship's stores from Cuba, sapodilla from Dominican Republic, mango and sapodilla from Guatemala, grapefruit and mango from Jamaica, fig, guava, mamey, mango, orange, peach, pear, plum, pomegranate, quince, sapote, and in refrigerator car loaded with mangoes from Mexico, and coco-plum from Virgin Islands; Mediterranean fruitfly (Ceratitis capitata) in loquat, orange, and (puparium) among fern fronds used as packing for loquats from Azores, allspice, date, pepper, and (puparia) in paper wrapping for peppers from Bermuda, orange from Brazil, avocado, coffee, fig, mango, and pepper from Hawaii, in tangerine (puparium) in paper wrapping for quince, and (puparia) in box containing orange, pomegranates, sweet limes, and tangerines from Italy (puparium), on paper wrapping for grapefruit from Palestine, and

¹ For details of interceptions mentioned in the text see lists under the countries named.

orange from Portugal and Spain; Ceratitis sp. (puparia) on paper wrapping for peach from Union of South Africa; melon fly (Dacus cucurbitae) in cucumber from Hawaii; olive fruitfly (D. oleae) in olive from Italy and (puparium) in olive in brine from unknown locality; Epochra sp. in currant from Mexico; celery fly (Philophylla heraclei) in celery from Germany; Rhagoletis cerasi in cherry from Italy; apple maggot (R. pomonella) in apple from Mexico; Rhagoletis sp. in black walnut and Crataegus sp. from Mexico and apple from Venezuela; papaya fruitfly (Toxotrypana curvicauda) in papaya from Panama; and trypetid (puparium) in rose hip from England, (larva) in globe artichoke from Italy, (adult) on medicinal herb and (larva) in orange from Mexico, and (adult) in airplane from unknown locality.

INSECTS OTHER THAN FRUITFLIES

Larvae of Agromyza pinguis (Agromyzidae) were intercepted in witloof leaves from Belgium. The citrus blackfly (Aleurocanthus woglumi) was taken on a lime leaf from the Bahamas and leaves of Citrus sp. from Cuba. Aleyrodes brassicae (whitefly) arrived on cabbage from England and cabbage and cauliflower from Italy. Anaphothrips orchidii (thrips) was intercepted on Anthurium scherzerianum from Japan. Asterolecanium stentae (Coccidae) was found on Euphorbia sp. from the Union of South Africa. Baris lepidii (Curculionidae) was taken in horseradish roots from the Union of Soviet Socialist Republics. Bephrata cubensis (Eurytoroots from the Union of Soviet Socialist Republies. Beparata cubensis (Eurytomidae) was intercepted in cherimoya and soursop from Cuba and custard-apple and soursop from Puerto Rico. Bouhelia maroccana (Coccidae) arrived with cipollino bulbs from Morocco. The garlic weevil (Brachycerus algirus) was intercepted in a garlic bulb from Italy. Bruchidius alfierii (Bruchidae) infested Egyptian clover from Czechoslovakia. Bruchus tristiculus was taken in Lathyrus spp. seed from Azores, France, Italy, Netherlands, and Turkey and vetch from Netherlands. The turnip gall weevil (Ceutorhynchus pleurostigma) was intercepted in turnips from Algeria, Denmark, England, France, Italy, Netherlands and Statland and sutabages from England and Netherlands. The Asiatic rico and Scotland and rutabagas from England and Netherlands. The Asiatic rice borer (Chilo simplex) arrived with rice straw from China, India, Japan Manchuria, and the Philippines. Conotrachelus aguacatae (Curculionidae) was found in avocados from Mexico. Epicaerus cognatus (Curculionidae) infested potatoes from Mexico. Epinotia opposita (Olethreutidae) was taken in string beans from Brazil and Mexico and lima beans from Mexico. Larvae of Epipolaeus caliginosus (Curculionidae) were intercepted in hop roots from England. Eurycipitia vestitus (Miridae) arrived with orchids from Guatemala. The West Indian sweetpotato weevil (Euscepes postfasciatus) was taken in sweetpotatoes from Brazil, Ecuador, Grenada, Puerto Rico, Trinidad, and Virgin Islands and yam from Jamaica. Exosoma lusitanica (Chrysomelidae) was intercepted in cipollino bulbs from Morocco. Hemimene juliana (Olethreutidae) was taken in chestnut from Italy. Laspeyresia splendana (Olethreutidae) was intercepted in an acorn from England and chestnuts from Germany, Italy, Japan, Portugal, Switzerland, and Yugoslavia. Leucaspis cockerelli (Coccidae) was taken on sour limes from Dominica, and L. loewi was found on a pine needle from Germany. Lygaeus gautemalanus (Lygaeidae) arrived with an orchid (Cattleya sp.) from Venezuela. The East Indian bean pod borer (Maruca testulalis) was intercepted in string beans from Brazil, Dominican Republic, Hawaii, Japan, and Puerto Rico, lima beans from Cuba, pigeon pea from Puerto Rico, and on Mauna-loa from Hawaii and from unknown locality. Megastigmus pistaciae (Callimomidae) was taken with seed of Pistacia sp. from China and in the same host from Italy. Moodna bisineulla (Phycitidae) arrived in green corn on the cob from Mexico. cattleyana (Mordellidae) was intercepted in orchid leaves from Brazil and Colom-Naupactus xanthographus (Curculionidae) was found in packing for grapes from Argentina. Odonaspis penicillata (Coccidae) infested bamboo from China The yam weevil (Palaeopus costicollis) was taken in yams from and Fiji Islands. Jamaica and the Philippines. The pink bollworm (Pectinophora gossypiella) was intercepted in cotton bolls from Antigua and Jamaica, cottonseed from Egypt, Ethiopia, Haiti, Italy, Jamaica, Japan, Mexico, and St. Kitts, seed cotton from Greece and Mexico, cotton lint from Mexico, (pupa) in raw cotton from St. Kitts, cottonseed in old bagging from Egypt, (fragment of adult) in cotton capsule from Antigua, in wad of seed cotton of unknown origin used as packing for earrings in the mail from England, and okra pod from the Virgin Islands. A larva of the vine moth (Polychrosis botrana) was intercepted on grape from Hungary. dococcus boninsis (Coccidae) was found on sugarcane from Cuba, Madeira Islands, and Mexico. Psylliodes chrysocephala (Chrysomelidae) arrived with turnips from Denmark, England, France, and Netherlands and with broccoli and mustard from Italy. The red-banded thrips (Selenothrips rubrocinctus) was taken on rose

from Haiti. Specularius erythrinae (Bruchidae) was taken in seed of Erythrina sp. from Belgian Congo, Kenya, French Guinea, and Union of South Africa. The avocado seed moth (Stenoma catenifer) was intercepted in avocados from Canal Zone, Ecuador, Honduras, and Mexico. Ulopa reticulata (Cicadellidae) arrived with heather from England and Scotland. The following insects were found in litter used as packing for trees from Poland: Aphthona ovata, Cassida nobilis, Lema cycanella (Chrysomelidae), and Rhypardochromus chiragra (Lygaeidae).

NOTES ON PLANT DISEASES INTERCEPTED

Interceptions of plant diseases continued to include many that are of considerable economic importance. However, interceptions of citrus canker (Bacterium citri) dropped to 4 for the year, white pine blister rust (Cronartium ribicola) was intercepted once, and citrus black spot (Phoma citricarpa) was intercepted 3 times only, but lima bean scab (Elsinoe phaseoli) was intercepted 360 times.

Little or nothing is known regarding the economic importance of many of the more interesting interceptions. Attention is called to some of the diseases found in each of several groups, the pathogens being arranged alphabetically for con-

venient reference use.

BACTERIAL DISEASES

Citrus canker (Bacterium citri) was intercepted on lime from Java and Straits Settlements, on grapefruit from India, and on orange, origin unknown, in baggage from Canada. Aplanobacter michiganense and Bacterium vesicatorium continued to occur on peppers and tomatoes from Mexico. Fire blight (Bacillus amylovorus) was found on Pyrus from Japan, Bacterium savastanoi on olive from Portugal, and several other bacterial diseases more or less common in this country were found at times. It should be borne in mind that no provision is made for the routine determination of bacterial diseases.

FUNGOUS DISEASES

Intercepted fungi new to our interception files included Alternaria violae on violets from Mexico; Ascochyta vodakii on Hepatica from Poland; Ascochytula grossulariae on gooseberry from Germany; Blennoria buxi on box from Netherlands; Cercospora angreci on orchid from England; C. lantanae on lantana from Bermuda; Colletotrichum crotalariae on Crotalaria from St. Thomas, B. W. I.; C. vincae on Vinca from Bermuda; Coniothyrium pyrinum on apple from Mexico; C. vincae on Vinca from Bermuda; Coniothyrium pyrinum on apple from Mexico; Cylindrosporium camelliae on camellia from Japan; C. castanicolum on chestnut from Japan; Cytospora vitis on grape from Greece; Diplodia henriquesiana on orchid from Thailand and from Venezuela; Discosia pini on pine cone from Germany; Epicoccum granulatum on Stanhopea from Mexico; Exobasidium oxycocci on azalea from India; Fusarium orchidis on orchid from Guatemala; Gloeosporium coelogynes on orchid from India; G. cymbidii on orchid from India; G. epidendri on orchid from Guatemala; G. helicis on ivy from Portugal; G. lebbeck on Albizzia from Bahamas; G. odontoglossi var. macrospora on orchid from Colombia and from Guatemala; G. philodendri (?) on orchid from Canal Zone; G. phormii on Phormium from New Zealand; G. stanhopeae on orchid from Costa Rica and from Mexico: Helminthosporium tomata on tomato from Mexico: Costa Rica and from Mexico; Helminthosporium tomato on tomato from Mexico; Leptosphaeria iwamatoi on rice hulls from Japan; Melamspora abieti-capraearum on willow from Mexico; Meliola penzigi on citrus from Japan; Micropellis applanata on orchid from Venezuela; Orbilia myristicae on nutmeg from Ceylon; Peronospora pisi on peas from France and from Italy; Pestalozzia coccolobae on Coccoloba from Bermuda; P. disseminata on eucalyptus from Italy; Phaeocryptopus nudus on fir from Nova Scotia; Phleospora maculans on walnut from Mexico; Phoma iridina on iris from France; P. russeliae on Russelia from Syria; P. stictica on box from Netherlands; P. tenuis on camellia from Japan; Phomopsis mali on apple from Japan; Phyllachora acaciae on Acacia from Mexico; Phyllosticta epigaeae on trailing arbutus from Canada; P. maculiformis on chestnut from Germany; Physalospora camptospora on orchid from Mexico; P. pandani on Pandanus from Bermuda; Pleospora ephedrae on Ephedra from Japan; Puccinia emaculata on Panicum from Canada; P. scirpi on Scirpus from France; P. shiraiana on Justicia from Japan; Ravenelia arizonica on mesquite from Mexico; Rhytisma erythrosporum on oak from Mexico; Scirrhia rimosa on Phragmites from Belgium; Septoria hepaticae on Hepatica from Norway; S. lepidii on Lepidium from Transcaucasia, U. S. S. R.; S. limonium (?) on lemon from Italy; S. pastinacae on parsnip from Denmark; Sorosporium reilianum on broomcorn from Hungary; Sphaerella ephedrae on Ephedra from Japan; Trametes hydnoides on tree from Venezuela; Uredo oncidii on orchid from Mexico; Ustilago bromivora on Bromus from Argentina; U. vaillantii on cipollino from Morocco; U. vriesiana on eucalyptus from Portugal; Valsa leucostoma on apple from France; and Vermicularia phlogina on

phlox from Canada.

Among the fungi that were only partially determined because they did not seem to fit species known to occur on their hosts were Ascochyta sp. or Stagonospora sp. with spores unlike any of the described species, found on Vicia fava pod from France; Cercospora sp. (no species reported on host) on Chamaesenna reticulata from Mexico; Coniothyrium sp. (perhaps C. oryzae but spores narrower than in description) on rice hulls from Puerto Rico; Coryneum sp. (no species reported on host) on Pyracantha sp. foliage from Canada; Cryptostictis sp. (no species reported on host) on Brabejum stellatifolium from New Zealand; Cytospora sp. (no species reported on orchids) on Epidendrum sp. from Mexico; Cytospora sp. (no species reported on peonies) on Paeonia moutan from Japan; Diatrypella sp. (no species reported on host) on Polyscias guilfoylei from Bermuda; Didymella sp. (no species reported on peonies) on Paeonia moutan from Japan; Didymosphaeria sp. (no species reported on peonies) on P. moutan from Japan; Didymosphaeria sp. (no species reported on host) on Freesia sp. from Netherlands; Gloeosporium sp. (spores too long for G. oncidii) on Oncidium pulvinatum from Brazil; Gloeosporium sp. (spores too small for G. laeliae) on Laelia purpurata; Gloeosporium sp. (spores too small for either of species reported on Stanhopea) on Stanhopea sp. from Mexico; Gymnosporangium sp. (unlike species reported on host) on fruit of Sorbus sp. from Poland; Helminthosporium sp. (similar to unknown species previously found on tomatoes) on Physalis sp. from Mexico; Marsonia sp. (no species reported on host) on Sophora secundiflora from Mexico; Melanconium sp. (unlike described species) on Cymbopogon citratus from Puerto Rico; Pestalozzia sp. (no species reported on host) on Brabejum stellatifolium from New Zealand; Pestalozzia sp. (apparently undescribed but previously intercepted on orchids from Guatemala) on Epidendrum sp. from Mexico; Phoma sp. (apparently not reported on host) on Galanthus sp. from Netherlands; Phyllosticta sp. (unlike species reported on host) on Codiaeum sp. from Bermuda; Pleospora sp. (no species reported on host) on Pyracantha sp. from Canada; Sclerotium sp. (sclerotia unlike those of S. gladioli) on Gladiolus sp. from Netherlands; Sclerolium sp. (unlike species reported on host) on Allium sativum from Syria; Septonema sp. (may be S. orchidophilum but description does not mention the small connecting cells between spores) on Cattleya deckeri from Canal Zone; and *Uredo* sp. (apparently undescribed) on *Tournefortia* sp. from Wake Island.

Diseases found on seeds included ? Ascochyta sophorae on Sophora sp. from China; Ascochyta sp. on Pyrethum roseum from England; Cephalothecium roseum on Zea mays from Argentina; Claviceps paspali on Paspalum sp. from Costa Rica; Coniothyrium sp. on Jacaranda from Mexico; Diplodia cococarpa var. malaccensis on husk of coconut; Diplodia zeae on Zea mays from Argentina; Fusarium moniliforme on Zea mays from Argentina; Gloeosporium sp. on seed head of Pandanus sp. from Bermuda; Glomerella cingulata on Arenga sp. from Leeward Islands; Leptosphaeria iwamotoi on hulls of Oryza sativa from Japan; Leptothyrium sp. on Acer sp. from Japan; Nematospora sp. on Pistacia vera from Italy; Pestalozzia sp. on Podocarpus macrophylla from Japan; Phaeoseptoria oryzae on hulls of Oryza sativa from Puerto Rico; Phoma sp. on Fraxinus sp. from Germany; Phomopsis cocoes on husk of coconut from St. Lucia; Phomopsis sp. on Arenga sp. from Leeward Islands; Phomopsis sp. on seed head of Pandanus sp. from Bermuda; Phyllosticta sp. on hulls of Oryza sativa from India; Rhizopus sp. on Pistacia vera from Italy; Sclerotium oryzae on rice from India (sclerotia on rice grains were not spherical as they are in the stems); Sclerotium sp. on Castanea mollissima from Japan; Sclerotium sp. on Euonymus yedoensis from England: Tilletia horrida on Oryza sativa from Netherlands East Indies; Tilletia sp. on Triticum aestivum from Argentina; Ustilago bromivora on Bromus catharticus from Argentina; and Verticil-

lium sp. on hulls of Oryza sativa from Japan.

Other interceptions of fungi were of special interest because seldom found on imported plant material, or because on new hosts or from new countries of origin so far as our interception files were concerned. Among these interesting interceptions were Albugo bliti on Amaranthus from Cuba; Botryosphaeria ribis on Chrysophyllum from Jamaica; Cercospora musae on Musa from Guatemala, Honduras, Trinidad, and Venezuela; Clithris quercina on Quercus from Germany; Colletotrichum orchidearum on several genera of orchids from Australia, British Honduras,

Canal Zone, Colombia, Guatemala, and Japan; Coniothyrium fuckelii on Citrus sinensis from Italy; Cytospora sacchari on Saccharum from Syria; Dendrodochium cattleyae on Cattleya from Guatemala; Elsinoe australis on Citrus from Brazil; Fabraea maculata on Cydonia from Italy and Portugal; Gloeosporium bidgoodii on Oncidium from England and Haiti; G. cattleyae on Cattleya from Costa Rica and Guatemala; G. dendrobii on Dendrobium from the Philippines; G. leguminum on Prosopis from Mexico; G. oncidii on Oncidium from Colombia; Helminthosporium curvulum on Capsicum from Cuba; Macrophoma oncidii on Dendrobium from the Philippines and on Vanda from Thailand; Marsonia juglandis on Juglans from Yugoslavia; Phaeoseptoria oryzae on Oryza from Puerto Rico; Phyllosticta auerswaldii on Buxus from Netherlands; P. hibisci on Hibiscus from Bermuda; P. saccardoi on Rhododendron from Germany; Physalospora orchidearum on genera of orchids from Colombia, Mexico, and Thailand; Puccinia levis on Manisuris from Mexico; Septoria betae on Beta from Mexico; S. nediviae on Cichorium from Italy; S. lactucae on Lactuca from Netherlands; Uredo oncidii on Oncidium from Mexico; and Uromyces limonii on Statice from France.

VIRUS DISEASES

No practicable means of detecting the presence of virus diseases in most imported plant material is known, but plants or plant parts with characteristic symptoms of some virus trouble are offered for entry sometimes. Mosaic was found on leeks from Germany and on peppers and squashes from Mexico, and 51 interceptions of mosaic were made on vegetables from Cuba. A number of specimens of spotted wilt were intercepted in shipments of tomatoes from Mexico.

NEMATODE INTERCEPTIONS

Nematode interceptions included Aphelenchoides demani on Convallaria from Netherlands; A. Iragariae on Begonia from Yugoslavia, Convallaria from Germany and Netherlands, and Iris from Netherlands; A. hodsoni on Narcissus from Europe; A. huntii on Zingiber from Peru; A. parietinus on various hosts from Azores, Bermuda, Ceylon, China, Denmark, Dominican Republic, England, Germany, Japan, Netherlands, Paraguay, and Portugal; A. tenuicaudatus on Dioscorea from Jamaica; Aphelenchus avenae on various hosts from Cuba, Egypt, England, France, Italy, Morocco, and Netherlands; Cephalobus persegnis on various plants from Bermuda, England, Germany, and Netherlands; Ditylenchus dipsaci in various hosts from Belgium, England, France, Germany, and Netherlands, and an interception in garlic from Straits Settlements which presumably originated elsewhere as D. dispaci does not occur in the tropics normally; D. intermedius (?) on Rhynchostylis from Ceylon; Heterodera marioni on several unusual hosts for our interception files, in material from Canada, Germany, Japan, Mexico, Netherlands, South Africa, and Switzerland; Neocephalobus peruensis (description based on this material) on Zingiber from Peru; and Rotylenchus bradys on Dioscorea from Jamaica.

COMMON PESTS INTERCEPTED

Many pests known to occur in this country are intercepted on imported plant material. Doubtless some of these represent strains not found here, but tests to ascertain such status are not practicable. While many of the interceptions of some of these common pests are not reported, enough are recorded to give a fairly representative sample of them. In this summary of these records the numbers following the names of the organisms indicate the number of countries of origin from which the pest was intercepted and the total number of interceptions recorded.

INSECTS

Common insects intercepted 10 or more times, and recorded, included Acanthoscelides obtectus (8—170), Ahasverus advena (19—95), Anthonomus eugenii (2—3,252), Aonidiella aurantii (16—621), Aphis gossypii (7—108), A. rumicis (4—10), Araecerus fasciculatus (10—22), Aspidiotus camelliae (8—23), A. cyanophylli (15—46), A. hederae (13—61), A. lataniae (17—249), A. perniciosus (6—33), Aulacaspis pentagona (7—16), Brevicoryne brassicae (6—30), Carpocapsa pomonella (12—60), Cathartus quadricollis (1—69), Cerataphis lataniae (12—34), Chionaspis citri (4—11), Chrysomphalus aonidum (24—3,176), C. dictyospermi (14—500), Coccus hesperidum (18—62), Diaspis boisduvalii (25—191), D. bromeliae (7—29), D. echinocacti (15—33), Ephestia cautella (9—15), Gnori-

moschema operculella (21—185), Heliothis armigera (8—2,538), H. virescens (6—102), Heliothrips haemorrhoidalis (6—14), Howardia biclavis (11—64), Ischnaspis longirostris (16—29), Lasioderma serricorne (14—131), Lepidosaphes beckii (41—3,292), L. gloverii (9—446), L. ulmi (16—54), Macrosiphum solanifolii (10—69), Myzus persicae (9—120), Necrobia rufipes (11—80), Oryzaephilus surinamensis (9—73), Parlatoria pergandii (17—1,618), P. proteus (17—57), Pinnaspis aspidistrae (3—19), P. minor (9—63), Plodia interpunctella (18—192), Pseudococcus adonidum (10—11), P. brevipes (10—134), P. citri (21—51), P. mauritimus (16—35), P. nipae (5—11), Rhizoglyphus hyacinthi (10—90), Rhizopertha dominica (5—16), Rhopalosiphum pseudobrassicae (4—55), Saissetia hemisphaerica (21—75), S. nigra (8—35), S. oleae (16—37), Selenaspidus articulatus (20—70), Sitodrepa panicea (2—16), Sitophilus oryza (18—730), Sitotroga cerealella (7—36), Tenebroides mauritanicus (8—23), Thrips tabaci (14—204), Tribolium castaneum (14—119), T. confusum (8—41), Typhaea stercorea (14—66). In addition to the listed species of common insects, there were 3,108 intercepmoschema operculella (21—185), Heliothis armigera (8—2,538), H. virescens

In addition to the listed species of common insects, there were 3,108 interceptions belonging to 677 different species which were not deemed to be of sufficient importance from the plant quarantine viewpoint to warrant listing them by species. Total of insects included in this paragraph, 23,019.

DISEASES

Common plant diseases intercepted 10 or more times, and recorded, included Actinomyces cabies (27—296), Albugo candida (7—102), Alternaria brassicae (8—51), A. herculea (14—25), A. radicina (8—19), A. solani (3—32), Aspergillus (8—51), A. herculea (14—25), A. radicina (8—19), A. solani (3—32), Aspergillus niger (24—188), Bacillus carotovorus (15—39), Bacterium maculicola (6—16), B. marginatum (8—454), B. rhizogenes (4—20), B. tumefaccins (7—37), B. vesicatorium (4—464), Botrytis cinerea (27—149), Capnodium citri (8—18), Cephalothecium roseum (20—41), Ceratostomella adiposum (1—46), C. paradoxa (19—194), Cercospora beticola (3—26), C. capsici (2—84), C. rosicola (3—31), Cladosporium fulvum (7—103), Colletotrichum circinans (6—56), C. lindemuthianum (7—15), Coniothyrium fuckelii (5—10), Corticium vagum (26—343), Diaporthe phaseolorum (4—54), Diplocarpon rosae (2—20), Diplodia natalensis (22—41), D. zeae (3—10), Elsinoe fawcettii (21—136), E. phaseoli (1—360), Erysiphe graminis (4—18), Fusarium moniliforme (4—11), Gloeosporium limetticolum (9—165), Glomerella cingulata (23—1,050), Graphiola phoenicis (2—11), Helminthesporium allii (8—316), H. sativum (7—23), Heterodera marioni (19—31). Macrosporium tomato 316), H. sativum (7-23), Heterodera marioni (19-31), Macrosporium tomato 316), H. sativum (7—23), Heterodera marioni (19—31), Macrosporium tomato (3—199), Melanconium sacchari (10—15), Mycosphaerella brassicicola (5—23), M. pinodes (4—22), Oospora lactis parasitica (5—52), Penicillium digitatum (15—101), P. expansum (8—15), P. italicum (13—24), Peronospora parasitica (7—14), Pestalozzia guepini (5—21), Phoma destructiva (4—461), Phomopsis citri (21—81), P. verans (5—142), Phytophthora infestans (17—191), Puccinia graminis (20—97), P. menthae (1—12), P. rubigo-vera (12—48). Phythium debaryanum (1—22), Rhizopus nigricans (38—387), Sclerotinia gladioli (3—414), S. sclerotiorum (16—59), Sclerotium oryzae (7—21), S. rolfsii (6—24), Septoria apii (12—39), S. petroselini (7—32), Spondylocladium atrovirens (34—347), Spongospora subterranea (12—45), Urmwees phaseoli tunica (1—21). Venturia inagavalis (27—203), V. nurina (7—23). Uromyces phaseoli typica (1—21), Venturia inaequalis (27—203), V. pyrina (7—23), Verticillium cinnabarina (16—64).

Forty pathogens which are included in the list of common diseases for which at least some interceptions were recorded but which were recorded fewer than 10 times each during the year were intercepted a total of 187 times. Some additional species which have been included in past lists were not recorded at all during the

Total recorded interceptions of these common diseases, 8,511.

INCOMPLETELY DETERMINED PESTS

Owing to the nature of the material, many of the insects and plant diseases intercepted cannot be determined with accuracy. Some of this material has been partially determined and serves as the basis for the brief notes that follow.

INSECTS

Of the pests intercepted a total of 162 could be determined to family, subfamily, or tribe only. A total of 4,361 other lots of insect pests, determined to genus only. were distributed among 868 genera. The largest number of interceptions included under any one of these 868 genera is 172 under Pseudococcus, which arrived from 32 countries on 79 different hosts. Under Agromyza sp. there are records of 19 interceptions from 10 countries and 11 hosts. Under Aspidiolus sp. there are records of 41 interceptions from 26 countries and 38 hosts. Under Bruchus sp. there are records of 140 interceptions from 17 countries and 7 hosts. Under Curculio sp. there are records of 104 interceptions from 8 countries and 4 hosts. Under Diatraea sp. there are records of 61 interceptions from 6 countries and 2 hosts. Under Diaspis sp. there are records of 41 interceptions from 15 countries and 14 hosts. Under Euzesla sp. there are records of 111 interceptions from 18 countries and 20 hosts. Under Frankliniella sp. there are records of 134 interceptions from 9 countries and 40 hosts. Under Gnorimoschema sp. there are records of 87 interceptions from 1 country and 3 hosts. Under Puto sp. there are records of 24 interceptions from 3 countries and 12 hosts. Under Taeniothrips sp. there are records of 19 interceptions from 8 countries and 11 hosts.

DISEASES

Many of the findings of Fusarium, Penicillium, and some other common genera of pathogens are not taken to the laboratory for determination and are not recorded. However Fusarium sp. was found on 1,472 lots of material examined during the year, the number of countries and geographic subdivisions represented totaling 75. Sixteen other genera were represented by more than 25 collections of undetermined species. In addition, there were numerous undetermined virus disease interceptions in material from Cuba and Mexico particularly. Forty-eight genera are represented by a single undetermined interception each, and 48 others by fewer than 10 undetermined interceptions each. Interceptions of Gloeosporium determined to genus only totaled 218 on 60 hosts belonging to 50 genera and on material from 35 countries, every continent and numerous islands being represented. Undetermined interceptions of closely related genera were 19 of *Colleto*trichum sp. on 16 hosts belonging to 14 genera and from 14 countries and 10 of Vermicularia sp. on 6 host genera and species from 6 countries of origin. Phoma sp. was intercepted 80 times, on 28 hosts belonging to 22 genera and from 20 countries of origin in Europe, Asia, North America, South America, and some islands. The closely related genus *Phyllosticta* was intercepted 65 times on 34 hosts belonging to 33 genera and from 18 countries in Europe, Asia, Africa, North America, South America, and various islands. Sclerotium sp. was intercepted 29 times on 16 hosts belonging to 14 genera and from 13 countries in Europe, Asia, Australia, North America, South America, and some islands. One hundred and twenty-five genera are included in this group of incompletely determined pathogens. Total of these interceptions, 4,685.

ENTOMOGENOUS FUNGI

Entomogenous fungi reported as found in the course of the inspection work included Aschersonia cubenis on unknown host on grapefruit from Puerto Rico; Aschersonia sp. on palm leaf from Mexico; Cephalosporium lecanii on Coccus viridis on coffee from Haiti and Jamaica and on gardenia from Cuba, and on Coccus sp. on Jamaica apple from Cuba and on sour lime from Bahamas; Entomophthora sp. on Pseudococcus citri on cacao from Jamaica; Metarrhizium anisophiae on Coleoptera pupae from Honduras; Myriangium duriaei on Lepidosaphes beckii on grapefruit from Cuba and on unknown hosts on lime from Mexico and orange from Trinidad, Nectria diploa on Chrysomphalus aonidum on grapefruit from Bahamas and Cuba, on C. dictyospermi on mango from Haiti, on Lepidosaphes beckii on grapefruit from Bahamas, British Honduras, and Cuba, on orange from Cuba and Jamaica and on tangerine from Cuba; Sphaerostilbe aurantiicola on unknown host on lime from Mexico; and Verticillium heterocladum on Trialeurodes sp. on Anthurium sp. from Trinidad.

Geographic summary of interceptions listed in main table and interception totals

Country	Insects	Diseases	Country	Insects	Diseases
Africa:	Number	Number	Europe-Continued.	Number	Number
Africa	5	1	Spain	4	2100000
Algeria	4	1	Sweden	10	
Algeria Belgian Congo	1	0	Sweden Switzerland	10	
British West Africa Canary Islands	3	. 0	Union of Soviet Socialist		
Canary Islands	3	0	RepublicsYugoslayia	3	
Egypt	$_{1}^{6}$	8 1	North America:	4	
Ethiopia	1	0	Bermuda	44	
French Cameroons French Guinea	2	0	Canada	11	
French West Africa	4	ő	British Columbia	1	
Gold Coast	1	0	Nova Scotia	0	
Kenya	1	0	Prince Edward Island_	1	
Madeira Islands	3	0	Central America:		
Morocco	65	18	British Honduras	4	
Nigeria	1	0	Canal Zone	23	
North Africa	$0 \\ 1$	1 0	Costa Rica Guatemala	21 83	
Sierra Leone Union of South Africa	38	65	Honduras	68	
West Africa	2	0	Nicaragua	5	
Asia:	-		Panama	19	
Burma	3	0	Mexico	4, 572	2
China	22	2	Mexico Newfoundland	5	
Federated Malay States	1	0	West Indies	0	
French Indo-China	1	0 4	American Virgin Is-	9	
India	19	61	lands Antigua	11	
Japan (Pritish)	210 4	0	Antigua	13	
Malaya (British) Manchuria	1	ő	Bahamas Barbados	15	
Palestine	î	ő	British West Indies	2	
Straits Settlements	8	3	Cuba	475	
Syria	0	2	Dominica	3	
Thailand	3	4	Dominican Republic	20	
Turkey	30	0	Grenada Guadeloupe	1	
ustralasia:	**	c	Guadeloupe	7	
Australia Bali Island	13	6	Haiti	13	
Ball Island	1	0 2	Jamaica Montserrat	50	
Ceylon Dutch East Indies	4	ī	Puerto Rico	29	
Dutch New Guines	1	0	St Kitts	6	
Dutch New Guinea Fiji Islands Hawaii	î	0	St. Lucia	11	
Hawaii	86	1	St. Thomas	0	
.1979	3 2	1	St. Lucia St. Thomas St. Vincent	2	
New Zealand		1	Trinidad Virgin Islands	19	
	55	2 0	Virgin Islands	7	
Society Islands Tahiti Tasmania Victoria	$\frac{1}{2}$	1	South America:	12	
Tanin	0	1	Argentina	12	
Vietoria	1	0	Bolivia Brazil	39	
Europe:			British Guiana	4	
Austria	2	0	Chile	6	
Azores	9	1	Colombia	56	
Belgium	284	18	Ecuador Paraguay	4	
Azores. Belgium Bulgaria Cyprus	1	0	Paraguay	0	
Cyprus	2 17	1 0	Peru	8 38	
Czechoslovakia	17	1	Venezuela Total:	30	
Danzig Denmark	11	5	Africa	142	
England	170	21	Asia	303	
England Europe	0	1	Asia Australasia	171	
Finland	0	1	Europe North America	1, 107	4
France	108	21	North America	5. 545	3
Germany Great Britain	56	83	South America Unknown origin	168	
Great Britain	1	0 2	Unknown origin	10	
Greece	12	0	Total	7, 446	9
Guernsey	71	1	Total (common posts	1, 110	,
Ireland	6	$\frac{1}{2}$	p. 5)	23, 019	8, 5
Isle of Wight	1	0	Total (incompletely		,,,
Italy	137	59	determined pests,		
Hungary Ireland Isle of Wight Italy Netherlands	50	192	p. 6)	4, 523	4, 6
Norway	1 4	2	Total insects	34, 988	
Poland Portugal	9	2 2 6	determined pests, p. 6) Total diseases Total diseases		14, 1
Portugal	6	6 2	Grand total		49, 1
Scotland	120	2			

Note.—In addition to the countries named above, interceptions including those of common pests (p. 5) and of incompletely determined pests (p. 6) were made from Albania, American Samoa, Angola, Curaçao, Dutch Guiana, Iran, Iraq, Leeward Islands, Liberia, Lithuania, Martinique. Mozambique. Nevis, New Brunswick, New Caledonia, New Guinea, New South Wales, Rumania, Southwest Africa, Sumatra, Surinam, Tobago, Tunis, Uganda, Uruguay, Wake Island, and Wales.

[All findings marked with an asterisk indicate State inspection]

		Nu		r of i		ep-	
Country of origin and name of pest	Host ¹	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
AFRICA							
Insects: Brachypeplus rubidus (Nitidulidae)	nut).	2					N. Y.
Xyleborus affinis (Scolytidae) Diseases: Rhizoctonia bataticola		3					Do. D. C.
ALGERIA							
Insects: Bruchidius quinqueguttatus (Bruchidae).	Vicia faba (fava bean)	2					N. Y.
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)					1	Do.
Parlatoria ziziphus (Coccidae)	Citrus nobilis deliciosa (tanger- ine).					1	Do.
Diseases: Uromyces fabae	Vicia faba (fava bean)					1	Do.
American Virgin Islands							
Insects: Targionia hartii (Coccidae) Targionia sacchari (Coccidae)	Dioscorea sp. (yam) Saccharum officinarum (sugarcane).	- -	1	1			Do. P. R.
ANTIGUA Insects: Asterolecanium charmoyi (Coccidae)	Marantaceae		1 2				Mass,
Asterolecanium miliaris longum (Coccidae). Do	Bamboodo		1				Do. N. Y.
Do	Marantaceae Bamboo		1 1				Mass. N. Y.
cidae). Pectinophora gossypiella (pink bollworm).	Gossupium barbadense (Sea		1				Mass.
Do	Island cotton) (boll). Gossypium sp. (cotton) (capsule).		1				Do.
Setomorpha insectella (Tineidae) Targionia hartii (Coccidae) Do	Dioscorea sp. (yam)do			1 1 1			N. Y. Mass. N. Y.
Argentina							
Insects: Chrysomphalus paulistus (Coccidae) Diabrotica speciosa (Chrysomelidae) Exitianus obscurinervis (Cicadelli-	Vitis sp. (grape) Packing for plums Packing for grapes	1					- Do. Do. Do.
dae). Gargaphia torresi (Tingitidae)	do	1					Do.
Naupactus xanthographus (Curculionidae).	do	1					Do.
Parlatoria oleae (Coccidae) Saulaspis graphica (Chrysomelidae) Diseases:	Prunus domestica (plum) Excelsior packing for grapes	4					Do. Do.
Ustilago bromivora	Bromus catharticus		1				Do.
AUSTRALIA Insects:							
Crepidodera ferruginea (Chrysomelidae).	Festuca elatior (tall fescue)		1				D. C.
Crossotarsus lacordairei (Platypodidae).	Cryptocarya palmerstoni (Queensland walnut).	1	~				N. Y.
Lepidosaphes tuberculata (Coccidae) Do			1	<u>i</u> -			Hawaii.* Calif.*
Do	do		1 1	1			Hawaii.* D. C. Wash.

¹ Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted.

List, by countries, of pests collected and reported from July 1, 1938, to June 20, 1939' inclusive—Continued

	-	Nu	mbe tie	r of i		eep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Australia—Continued						-	
Insects—Continued. Platypus australis (Platypodidae) Platypus omnivorous (Platypodidae) Taeniothrips simplex (gladiolus	Juglans sp. (walnut)	1 1	1				Va. N. Y. Calif.*
thrips). Tortricid Uleiota australis (Cucujidae) Xylothips flavipes (Bostrichidae) Diseases:	Malus sylvestris (apple) Juglans sp. (walnut) Cryptocarya palmerstoni	1 1				1	Pa. Va. N. Y.
Colletotrichum orchidearum Mycosphaerella tuasnei Phoma citricarpa Sphaeropsis malorum Verticillium albo-atrum	Miltonia sp. (orchid) Triticum aestivum (wheat) Citrus sinensis (orange) Malus sylvestris Dahlia sp		2	1		1	Calif.* D. C. N. Y. Pa. D. C.
Insects: AUSTRIA Exact Structure AUSTRIA AUSTRIA	Cytisus sp. (broom)						Do.
Insects: Aleyrodes azaleae (whitefly) Bruchus tristiculus (Bruchidae) Ceratitis capitata (Mediterranean	Azalea sp			1 1			N. Y. Do. Do.
fruitfly). ^	Eriobotrya japonica (loquat) do Among fern fronds used as packing for loquats.			1			Mass. N. Y. Mass.
Targionia bromelia (Coccidae) Diseases: Aphelenchoides parietinus	Ananas sativus (pineapple) Colocasia esculenta (dasheen)			1			N. Y. Do.
BAHAMAS Insects: Aleurocanthus woglumi (citrus	Citrus aurantifolia (lime)					1	Fla.*
blackfly). Anastrepha sp. (Trypetidae) Aspidiotus spinosus (Coccidae) Comstockiella sabalis (Coccidae) Do	Mangifera indica (mango) Achras sapota (sapodilla) Sabal sp. (palm)		1	1			N. Y. Fla.* D. C. N. Y.
Cylas formicarius (swectpotato weevil). Franklinie'la cephalica (thrips)	Ipomoea batatas (sweetpotato)			1	1		Fla.* Do.*
Frankliniella cübensis (thrips) Frankliniella unicolor (thrips) Haplaihrips gowdeyi (thrips) Targionia sacchari (Coccidae)	do do Saccharum officinarum (sugarcane).			1	1		Do.* Do.* Do.* N. Y.
Vinsonia stellifera (Coccidae) Diseases: Glocosporium lebbeck Pestalazzia palmarum Do	Spice			1			Fla.* N. Y. Do. Do.
Bali Island Insects: Heterobostrychus aequalis (Bostrichidae).	Wood			1			Do.
BARBADOS Insects: Asterolecanium muliaris longum	Bamboo		1				Do.
(Coccidae). Asterolecanium pseudomiliaris (Coccidae).	do		1				Do.
cidae). Eriophjes plucheae (mite) Fundella cistipennis (Phycitidae) Furcaspis byormis (Coccidae) Lepidosaphes alba (Coccidae)	Pluchea odorata		1 1 1	1			Mass. N. Y. Mass. Do.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu	ımbe ti	er of i	ntero n—	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Barbados-Continued							-
Insects—Continued. Setomorpha ir sectella (Tineidae) Do. Do. Targionia hartii (Coccidae) Targionia sacchari (Coccidae) Vinsonia stellifera (Coccidae) Do	Cirsium sp. (thistle) Thea sinensis (tea bush) Theobroma cacao (cacao) Dioscorea sp. (yam) Saccharum officinarum (sugarcane). Laurus nobilis (Grecian laurel) do		1	3 1			N. Y. Do. Pa. Mass. Do.
BELGIAN CONGO Insects: Specularius erythrinae (Bruchidae) -	Erythrina sp		1				D. C.
BELGIUM Insects: Acrolepia assect.lla (Plutellidae) Agromyza pinguis (Agromyzidae) Aleyrodes azaleae (whitefly) Amphorophora azaleae (aphid) Apion pomonae (Curculionidae)	Allium porrum (leek) Cichorium intybus (withoof) Azalca sp. do. In ease of wine with straw jackets mixed with vetch.	84 1 3 1				1	N. Y. Do. D. C. Do. Pa.
Athous sp. (Elateridae) Bruchus lentis (Bruchidae) Ceutorhynchus sp. (Curculionidae) Dryocoetes autographus (Scolytidae) Limothrips denticornis (thrips) Napomyza luteralis (Agronyzidae)	jackets mixed with vetch. Begonia sp. Lens esculenta (lentil) Brassica rapa (thrnip) Picea sp. (spruce) Moss used as packing Cichorium intybus (witloof)	1	1 1 1			1	D. C. N. Y. Do. Do. D. C. N. Y.
Strophosoma melanogrammum (Curculionidae). Do	Azalea indica	1					D. C.
Diseases: Ditylenchus dipsaci Scirrhia rimosa	Iris sp		1 1				Do. N. Y.
Sclerotinia minor Septoria azaleae Do Thielaviopsis basicola	Cichorium intybus (witloof)	1					Do. D. C. Do. N. Y.
DoBERMUDA	Daucus carota (carrot)					1	Ga.
Asterolecanium miliaris (Coccidae) Autographa sp. (Noctuidae) Do Do Do Do Do	Bamboo						N. Y. Mass. N. Y. Do. Do.
Ceratitis capitata (Mediterranean fruitfly). Do	Pelargonium sp. (geranium) Capsicum annuum (pepper) Paper wrapping around peppers.		1			1	Do.
Do	pers. Phoenix dactylifera (date palm) Pimenta officinalis (allspice) Citrus aurantifolia (lime) Rosa sp			1 2 1 1			Do. Do. Do.
Eriococcus araucariae (Coccidae) Frankliniella cubensis (thrips) Frankliniella insularis (thrips) Do	Araucaria sp			1 1 2 2	<u>1</u>		Do. Do. Do.
Haplothrips gowdeyi (thrips) Do Morganella longispina (Coccidae)	Gerberia sp			1	1		Do. Do. Do.
Do	Carica papaya (papaya) Nerium oleander (oleander) Apium graveolens (celery) do Dianthus sp. (carnation) Phloz sp Rosa sp	1 6		î 1			Do. Mass. N. Y. Do.

		Nu	mbe tic	r of i		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
BERMUDA—Continued							
Insects—Continued. Taeniothrips simplex (gladiolus thrips). Do	Amaryllis sp		1	1			N. Y. Mass.
Tineid Do Diseases:	Polyscias guilfoylei			1	5		N. Y. Do.
Aphelenchoides parietinus	Lilium longiflorum (Easter lily).	1					Do.
Cercospora lantanae Colletotrichum vincae	Lantana camara Vinca rosea (Madagascar peri- winkle).			1			Do. Do.
Pestalozzia coccolobae Phyllosticta hibisci Physalospora pandani	Coccolohis unifera (sea-grape)			1			Do. Do.
Physalospora pandani Puccinia absinthii	Hibiscus sp			1			Do. Do.
BOLIVIA Insects: Trypopremnon sp. (Curculionidae) BRAZIL	Solanum tuberosum (potato)	1					D. C.
Insects: Anastrepha fraterculus (Trypetidae). Anchonus sp. (Curculionidae)	Citrus sinensis (orange) Cattleya sp. (orchid) Orchid Cothleya guttata (orchid) Orchid Citrus sinensis (orange) Coffea sp. (coffee) Phaseolus sp. (string bean) Cattleya labiata warneri (orchid) Cattleya sp. (orchid) Orchid Ipomoca batatas (sweetpotato) Orchid Citrus sinensis (orange) Phaseolus sp. (string bean)	1 1 1 1 1 1				1	Fla.* D. C. Do. Do. Po. Pa. N. Y. La. D. C. Do. La. D. C. La.
pod borer). Do Mordellistena cattleyana (Mordelli-	Cattleya sp. (orchid)	1				. 1	N. Y. D. C.
dae). Mordellistena sp. (Mordellidae) Do Do Parlatoria cinerea (Coccidae) Pseudaoonidia trilobitiformis (Cocci-	Cattleya labiata autumnale (orchid). Cattleya labiata warneri (orchid) Cattleya sp. (orchid) Citrus grandis (grapefruit) Coffea sp. (coffee)	1 8		1 1		1	Do. Do. Do. Md. Calif.*
dae). Setomorpha insectella (Tineidae) Stephanoderes brasiliensis (Scoly-	Lilium sp. (lily)	1					La. N. Y.
tidae). Tineid. Wasmannia auropunctata (ant) Zabrotes subfasciatus (Bruchidae) Diseases:	Cattleya sp. (orchid)					1	D. C. Calif.* La.
Elsinoe australis Do Do- Glomerella cincta	Citrus limetta (sweet lime)					. 2	N. Y. Do. Pa. N. Y.
BRITISH COLUMBIA Insects: Brachyrhinus rugosostriatus (Curculionidae). Diseases: Heterosporium echinulatum	Soil around roots of rhododen-dron.	1					Wash.

		Nt		er of i		cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
British Guiana Insects: Aspidiotus diffinis (Coccidae) Furcaspis biformis (Coccidae) Minthea rugicollis (Lyctidae)	Drepanocarpus lunatus	1	1				D. C. Do. N. Y.
Thylodrias contractus (Dermestidae)	vine). Secale cereale (rye)	1					Do.
British Honduras Insects: Copturus sp. (Curculionidae)	Swietenia mahogani (mahogany).	1					Do.
Silvanus vulgaris (Cucujidae)	Cedrus sp. (cedar) Swietenia mahoganido	1 1 1					Do. La. Do.
Colletotrichum orchidearum	Laelia purpurata (orchid)			1			Calif.*
British West Africa Insects: Cylas sp. (Curculionidae)	Ipomoea batatas (sweetpotato).				3		Pa.
BRITISH WEST INDIES							
Insects: Asterolecanium miliaris longum (Coccidae). Setomorpha insect-lla (Tineidae)	Undetermined grass		1				D. C. Do.
Bulgaria Insects: Rhynchites sp. (Circulionidae)	Prunus sp		1				Do.
BURMA Insects: Callosobruchus analis (Bruchidae) Chrysomphalus dictyospermi var. (Coccidae) Furcaspis biformis (Coccidae)	Bean	1	1 1				Do. Do. Hawaii.*
Insects: Aleyrodes azalea (whitefly) Brachyrhinus rugosostriatus (Curculionidae). Forficula auricularia (European earwig). Myzus ornatus (aphid) Sitona lineata (Curculionidae)	Azalea sp Soil around roots of rhododendron. Hibiscus sp Primula sp Soil around roots of rhododen-	1 2 1 1	1				Wash. Do. Do. Calif.* Wash.
Stugnocoris pedestris (Lygaeidae) Tincid Tortricid Do/	dron. Rheum sp. (rhubarb) Rubus sp. (raspberry) Rosa sp Sorbus aucuparia (Europeanmountain rowan).		1 1 2	1			D. C. Wash. Mass. Do.
Diseases: Heterodera marioni	Gentiana acaulis (stemless		1				D. C.
Phyllosticta epigaeae	Epigaea repens (trailing arbutus).		2				Mass.
Pleospora herbarum	Fraxinus americana (white	1					N. Y.
Puccinia emaculata Pucciniastrum myriilli Rhytisma acerinum Vermicularia phlogina	Panicum capillare Rhododendron sp Acer sp. (maple) Phlox subulata (moss pink)	 1	 1	1 1			Do. Wash. Mass. N. Y.
Insects: Canal Zone Conchaspis angraeci (Coccidae)	Epidendrum hunterianum (or-		1				Calif.*
Do	Epidendrum rousseanae (or- chid). Lockhartia lunifera (orchid) Lockhartia pallida (orchid) Oncidium stipitatum (orchid)		1 2 1 1				Do.* Do.* D. C. Calif.*

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu	ımbe tio	r of i	ntero	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CANAL ZONE—Continued			_	-			
Insects—Continued. Furcaspis biformis (Coccidae) Oo- Gryllodes sigillatus (Gryllidae) Lepidoasphes lasianthi (Coccidae) Microcerotermes eriguus (termite) Pachymerus luteomarginata (Bruchidae). Phelomerus aberrans (Bruchidae) Phelomerus abigma (Curculionidae) Pseudaonidia clavigera (Coccidae) Stenoma catenifer (avocado seed moth). Taeniothrips simplex (gladiolus thrips). Vinsonia stellifera (Coccidae) Do Do Xyleborus propinquus (Scolytidae)	Epidendrum atropurpureum (orchid). Oncidium sp. (orchid). Orchid. Codiaeum sp. (croton). Brownea sp. Desmoncus polyacanthos. Cassia nodosa. Catileya deckeri (orchid). Eugenia myrtifolia (Australian brush-cherry). Bougainvillea sp. Persea americana (avocado). Gladiolus sp. Epidendrum ciliare (orchid). Oncidium kramerianum (orchid). Peristeria elata (orchid). Peristeria elata (orchid). Stanhopea bucephalus (orchid). Tabebuia donnell-smithii (primavera).	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	1	Calif.* D. C. Do. Pa. D. C. Do. Calif.* D. C. Calif.* Do. Calif.* Do. Calif.* Do. Calif.* Do. Calif.*
Colletotrichum orchidearum Gloeosporium philodendri	Paphiopedilum longifolium (or- chid). Philodendron sp		1				Calif.* Do.*
CANARY ISLANDS Diseases: Ascochyta lycopersici CEYLON Insects: Parlatoria pseudaspidiotus (Coccidae). Diseases: Aphelenchoides parietinus. Ditylenchus intermedius	Lycopersicum esculentum (to- mato). Vanda teres (orchid)		1				N. Y. D. C. N. Y. Do.
Insects: Olethreutid Ptinus tectus (Ptinidae) Tortricid Do Do Do Diseases: Orbilia myristicae Rhizoctonia bataticola	Amygdalus persica nectarina (nectarine). Bromeliaceae. Amygdalus persica (pench) Amygdalus persica nectarina Prunus domestica (plum) Myristica sp. (nutmeg). Cucumis melo (melon)	1 2 1 1 1	1				Do. Calif.* N. Y. Do. Do. Do.
CHINA Insects: Callosobruchus chinensis (Bruchidae). Chaetoceccus bambusae (Coccidae).	Phaseolus aureus (mung bean)_ Bambusa sp	2					Mich.
Chilo simplex (Asiatic rice borer) Colobicus marginatus (Colydiidae) Cylas for:nicarius (sweetpotato weevil). Do	Oryza sativa (rice) Pueraria thumbergiana (kudzu) Ipomoea batatas (sweetpotato) do	4		 1	1		Mass. Ill. Calif.* Hawaii.*
Forficula auricularia (European earwig). Lyctoxylon ja ponum (Lyctidae)	Aglaonema sp Oryza sativa (rice)	1					Wash.
Megasligmus pistaciae (Callimomidae). Megasligmus sp. (Callimomidae). Do Odonas pis penicillata (Coccidae) Odonas pis secreta (Coccidae)	Pistacia sp	 1	2				D. C. Do. N. Y. D. C. Do.

		Νι	ımbe tic	er of i	inter n—	cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CHINA—Continued		-					
Insects—Continued. Parlatoria ziziphus (Coccidae) Popillia japonica (Japanese beetle)	Citrus grandis (grapefruit) Rice straw packing inside a case.	<u>-</u> -				1	Calif.* N. Y.
Diseases: Aphelenchoides parietinus	Zingiber officinale (ginger)	2					Mass.
Insects: Acinaces lebasi (Endomychidae) Acrolophus sp. (Tineidae) Do. Do. Anaphothrips orchidaceus (thrips) Anastrepha serpentina (dark fruitfly) Anastrepha sp. (Trypetidae) Do. Aspidobothrys sp. (Miridae) Do. Asterolecanium aureum (Coccidae) Conotrachelus sp. (Curculionidae) Cryphula affinis (Lygaeidae) Eurytoma orchidearum (orchid fly) Fulvius quadristillalus (Miridae) Furcuspis biformis (Coccidae) Geocnethus luqubris (Cydnidae) Icerya montserratensis (Coccidae) Icerya montserratensis (Coccidae) Iridomyr mex iniquus (ant) Ischyomius cherolati (Melandryidae) dae) Molellistena cattleyana (Mordellidae)	Mangifera indica (mango)	1 2 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			D. C. Calif.* D. C. Do. Tex. Do. Do. Calif.* D. C. Do. N. Y. D. C. Do. D. C. Do. Do. Calif.* Calif.* Calif.*
Mordellistena sp. (Mordellidae) Do Orthaea vicinalis (Lygaeidae) Parallelodiplosis sp. (Cecidomyiidae) Pseudoonidia tesserata (Coccidae)	dodododo	1 1 2					D. C. Wash. Do. D. C.
Rhyncolus sp. (Curculionidae) Steatoderus sp. (Elateridae) Tenthecoris bicolor (Miridae) Do Tineid Do Do Trionymus sacchari (Coccidae) Trochoideus americanus (Endomy-chidae), Do Zophobas morio (Tenebrionidae)	do do Cattleya giyas (orchid) Cattleya sp. (orchid) Cattleya gigas (orchid) Cattleya sp. (orchid)	1 1 1 1 1 1 5	1	1			Calif.* D. C. Do. Calif.*
Do	Cattleya sp. (orchid) do Orchid Odontoglossum crispum (orchid)	1					Do. Do. Calif.*
spora. Do. Gloeosporium oncidii. Physalospora orchidearum.	Odontoglossum sp. (orchid) Oncidium superbiens (orchid)					1	Do.* Do.* Do.*
COSTA RICA Insects: Aleurotrachelus sp. (whitefly) Anaphothrips orchidaceus (thrips) Anastrepha sp. (Trypetidae) Do Asteroleeanium aureum (Coccidae) Do Do	Pitcairnia valerii Orchid Manqifera indica (mango) Passiftora sp. Cattleya dowiana (orchid) Oncidium kramerianum (orchid) Oncidium kramerianum	3	1	1	1		Do.* Tex. Do. La. D. C. Calif.*
Do	major (orchid). Orchid						Do. N. Y. D. C.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu		r of i	nterc n—	ep-	
Country of origin and name of post	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in-
Costa Rica—Continued							
sects—Continued. Eurytoma sp. (Eurytomidae)	Cassa sp				1		Calif.* Tex. Do. N. Y. Do. Calif.* N. Y. La.
Claviceps paspali Gloeosporium cattleyae Do. Gloeosporium stanhopeae	Paspalum sp	1		1 1 1 1			N. Y. Calif.* Do.* Do.*
CUBA sects: Aleurocanthus woglumi (citrus	Citrus sp				1		Fla.*
blackfly). Amblystira fuscitarsis (Tingitidae) Anastrepha mombin praeoptans (Trypetidae).	Brassica chinensis (Chinese cabbage). Mangifera indica (mango)			1	1	1	N. Y. La.
Do	In box in which mangoes had been kept.	1		2			N. Y. Fla.* Do.*
Do	Psidium guajava (guava) Terminalia catappa (Indianalmond).			1			Do.* Do.*
Aspidiotus destructor (Coccidae)	mond). Annona squamosa (sugarapple).			1			Do.* Do.*
Do	Musa sp. (banana) Palm Psidium guajava (guava) Roustonea regia (royal palm)			1 1 1	1		Do.* Do.* Do.* Do.* Do.* Do.* Fla.*
Do. Aspidiotus spinosus (Coccidae) Do. Do. Aulacaspis major (Coccidae) Autographa sp. (Noctuidae)	Sapote		1	1			Do.* Do.* Do.* D. C. N. Y.
Do	cabbage). Brassica funcea (mustard) Annona cherimola (cherimoya) Annona muricata (soursop)	1			1 2		Do. La. Do.
Bothrideres dentatus (Colydiidae) Cerotoma ruficornis (Chrysomelidae).	Swietenia mahogani (ma- hogany). Phaseolus lunatus macrocarpus (lima bean).	1					Do. N. Y.
Coccus viridis (Coccidae) Do Conoderus sp. (Elateridae)	Chalcas sp. Gardenia florida (Cape- jasmine). Lycopersicum esculentum (to-	1		1 12			Fla.* Do.*
Do Crocidosema plebeiana (Olethreu!i-dae).	mato). —do Hibiscus esculentus (okra)	1					N. Y. La.
Do. Cylas formicarius (sweetpotato weevil). Do.	Ipomoea batatas (sweetpotato)	1				1	N. Y. Ala. La.
Do Do Dialeurodes citri (citrus whitefly)	do do Fortunella ja ponica (kumquat)			1		2 2 2	Md. N. Y. Fla.*
Diaphania sp. (Pyraustidae) Do	Benincasa hispida (hairy squash). Cucumis sativus (cucumber) Cucurbita maxima (squash)	3 2					Do. Do.

		Nt	ımbe tio	er of i		cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CUBA—Continued							
nsects—Continued. Diatraca sp. (Pyralididae)	Saccharum officinarum (sugar-cane).			6			Fla.*
Do	do	1 39					N. Y. La. Do.
Do	do Brassica chinensis (Chinese	7 1 1					N. Y. La. N. Y.
Frankliniella cephalica (thrips)	cabbage). Dahlia sp Rosa sp			4	1		Fla.* Do.*
Frankliniella cubensis (thrips) Do Frankliniella insularis (thrips)	Dahlia sp			8	3 2 1		Do.* Do.* Do.*
Do Frankliniella simplex (thrips) Franklinothrips vespiformis (thrips)_	Dahlia sp			1	3		D ₀ .* D ₀ .* N. Y.
Do	cabbage). Brassica juncea (mustard) Ananas sativus (pineapple)	1			29		Do. La. N. Y.
Gynaikothrips uzeli (thrips) Do Do Hapttrips acceptai (thrips)	Ficus indica Ficus spdo			1	1		Fla.* N. Y. Fla.*
Haplothrips gowdeyi (thrips) Do Do Hellula phidilealis (Pyraustidae)	Ananas sativus (pineapple) Dahlia sp Rosa sp Brassica chinensis (Chinese	39			3		Do.* Do.* N. Y.
Do	cabbage). Brassica juncea (mustard)	28 2					Do. La.
worm). DoLepidosaphes hawaiiensis (Cocci-	mato)docodiaeums p. (croton)	2		1			N. Y. Fla.*
dae). Maruca testulalis (East Indian bean pod borer).	Phaseolus lunatus macrocarpus (lima bean).	96			1		N. Y.
Nanus uniformis (Curculionidae) Orthaea servillei (Lygaeidae)	Brassica chinensis (Chinese cabbage).	1 1					Do. Do.
Phytomyza sp. (Agromyzidae) Do	Brassica juncea (mustard) Ananas sativus (pineapple)	19 12 1					Do. Do. Do.
Ďo	Lycopersicum esculentum (to- mato). Brassica chinensis (Chinese	1 2					Do. Do.
Do Do	cabbage). Lycopersicum esculentumdo	$\frac{1}{2}$					La. N. Y.
Pseudaonidia tesserata (Coccidae) Pseudococcus boninsis (Coccidae)	Mammea americana (mamey) - Saccharum officinarum (sugar- cane).			1	1		Fla.* Do.*
Do Psylliodes sp. (Chrysomelidae) Pyroderces stigmatophora (Cosmopterygidae).	Raphanus sativus (radish) Ananas sativus (pineapple)	3		1			N. Y. Do. La.
Pyroderces sp. (Cosmopterygidae) Do Do	do- do- 	9 2 1					Do. N. Y. La.
Pyropus sp. (Curculionidae)	mato). Brassica chinensis (Chinese cabbage).	1				/ /	N. Y.
Do	Brassica juncea (mustard)Adansonia digitataBrassica chinensisPhaseolus lunatus macrocarpus	1 2 1			1		Do. Mass. N. Y. Do.
Taeniothrips simplex (gladiolus thrips).	(lima bean). Rosa sp				1		Fla.*
Targionia bromeliae (Coccidae)	Ananas sativus (pineapple)	4					Do.* N. Y.

		Nu	mber tic	r of i		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CUBA—Continued		_					
Insects—Continued. Targionia hartii (Coccidae). Targionia sacchari (Coccidae)	Dioscorea sp. (yam)			1 5		~	N. Y. Fla.*
Do	cane).				,		NY
TineidDo	Carica papaya (papaya)	2					La. N. Y.
Trionymus sacchari (Coccidae) Xestocephalus sp. (Cicadellidae)	Saccharum officinarum Brassica chinensis (Chinese cabbage).	1					Fla.* N. Y.
Xyleborus affinis (Scolytidae) Xyleborus sacchari (Scolytidae) Diseases:	Citrus grandis (grapefruit)	1					La. N. Y.
Albugo bliti Aphelenchus avenae Ceratostomella fimbriata	A maranthus sp. (amaranth) Zingiber officinale (ginger)	1				1	Fla.* N. Y. Do.
Cercospora hibisci	Hibiscus esculentus (okra)	2 1					Do.
Colletôtrichum falcatum Colletotrichum truncatum	cane).	3					Fla.*
Helminthosporium curvulum	(lima bean).	1				2	Do.
Mycosphaerella citrullina	Cucumis sativus (cucumber)	2		1			Do. Fla.*
Physopella fici Phytophthora terrestris	mato).	1					N. Y.
Rhizoctonia bataticola	Ipomoea batatas (sweetpotato)_					1	Fla.*
CYPRUS Insects:							37. 77
Acanthoscelides spinipes (Bruchidae).	Acacia farnesiana						N. Y.
Myelois sp. (Phycitidae) Diseases: Septoria cıtri						1	Do.
CZECHOSLOVAKIA	Our as timousa (lemon)					1	20.
Insects: Bruchidius alfierii(Bruchidae)	tian clover)		1				D. C.
Bruchidius trifolii (Bruchidae) Bruchus brachialis (vetch bruchid)	Vicia villosa (hairy vetch)	1 3					Do. Ala. Ga.
Do	dodo	1					N. Y. Ala.
Do	Vicia sp. (vetch) do Vicia villosa (hairy vetch)	1					Ga.
Bruchus viciae (Bruchidae) Coleophora sp. (Coleophoridae)	Malus sp	1					Ala. D. C.
Curculio sp. (Curculionidae) Dorytomus sp. (Curculionidae)	Salix discolor (pussy willow)		1				Do. Mass.
Pyralis sp. (Pyralididae) Trionymus sp. (Coccidae)	Ribes sp	1					D. C. Calif.*
DANZIG							
Diseases: Thielaviopsis basicola	Allium cepa (onion)					1	Mass.
DENMARK Insects:							
Acrolepia assectella (Plutellidae)						1	N. Y. Pa.
Bruchidius lividimanus (Bruchidae)	Cytisus scoparius (Scotch						D. C.
Bruchidius villosus (Bruchidae) Do. Do.	Cytisus sp		1 2 1				Do. Do. Do.
Do						1	Do. Md.
	do					1	Pa.

		Nı	ımbo ti	er of ons i	inter n—	cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
DENMARK-Continued							
Insects—Continued. Lecanium coryli (Coccidae) Newsteadia floccosa (Coccidae)	Forest litter packing material_		1 1				D. C. Do.
Psylliodes chrysocephala (Chryso-melidae).				1			
Strophosoma melanogrammum (Cur- culionidae). Do	Forest litter packing material.		1				D. C. Do.
Strophosoma rufipes (Curculioni-	Packing around rose plant Forest litter packing material						Do.
Tychius sp. (Curculionidae) Diseases:							Do.
Aphelenchoides parietinus Cummin siella sanguinea Septoria chrysanthemella Septoria pastinacae	Mahonia sp Chrysanthemum sp		2		1	1	Tex. D. C. N. Y. Mass.
DOMINICA							
Insects: Aspidiotus destructor (Coccidae) Coccus viridis (Coccidae) Leucaspis cockerelli (Coccidae)	Mangifera indica (mango) Citrus aurantifolia (lime)do	1 1				1 	Do. Do. Do.
DOMINICAN REPUBLIC Insects:							
Alkindus atratus (Cydnidae)	Achras sapota (sapodilla) Cocos nucifera (coconut)		1	1	 1		D. C. N. Y. Mass.
Do Do Asterolecanium aureum (Coccidae)	Palm			1			Fla.* Do.*
Diaphania sp. (Pyraustidae) Elaphidion nanum (Cerambycidae)	Chayota edulis (chayote) Guaiacum sp	3					D. C. N. Y. Do.
Frankliniella insularis (thrips) Franklinothrips vespiformis (thrips) Furcaspis biformis (Coccidae)	Rosa sp		 1	1			Do. Do. Hawaii.*
Haplothrips gowdeyi (thrips)	Gerberia sp. Phaseolus sp. (string bean)				1	1	N. Y. La.
Pinnaspis minor strachani (Coccidae).	Cocos nucifera (coconut)						Mass.
Taeniothrips simplex (gladiolus thrips).	Gladiolus sp		- 1				N. Y.
Vinsonia stellifera (Coccidae)	Brassia sp. (orchid) Orchid Mangifera indica (mago)		1 1				D. C. Do.
Xyleborus propinquus (Scolytidae) Diseases:							N. Y.
Aphelenchoides parietinus Ceratostomella fimbriata	Xanthosoma sp. (malanga)	19					Do. Do.
DUTCH EAST INDIES							
Orchidophilus aterrimus (Curculionidae).	Oncidium leopardinum (or-chid).			1			Hawaii.*
Orchidophilus sp. (Curculionidae) Pinnaspis townsendi (Coccidae) Scleron ferrugineum (Tenebrioni-	Orchid debris Vanda sp. (orchid) Dendrobium macrostachyum			1			Do.* Do.* Do.*
dae). Diseases: Tilletia horrida	(orchid). Oruza sativa (paddy rice)	1					N. Y.
DUTCH NEW GUINEA	, , , , , , , , , , , , , , , , , , ,						
Insects: Tineid	Cattleya sp. (orchid)	1					D. C.
ECUADOR							
Euscepes postfusciatus (West Indian	Ipomoea batatis (sweetpotato)					1	N. Y.
sweetpotato weevil). Stenoma catenifer (avocado seed moth).	Persea americana (avocado)			1			Calif.*
Tanaostigma sp. (Encyrtidae)	Legume seed		ī			1	Wash. D. C.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu	mbe tic	r of i	nterc	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
EGYPT							
nsects: Agriotes sp. (Elateridae)	Soil around turnips					1	Mass.
Pectinophora gossypiella (pink boll- worm).	Gossypium sp. (cottonseed)	2					N. Y.
Pselactus spadix (Curculionidae) Pseudaonidia trilobitiformis (Coccidae).	Gossypium sp. (cotton)	1				1	Pa.
Diseases: Aphelenchus avenae	Allium cena (onion)	1					N. Y.
Do Botrytis allii	Allium cepa (onion)	5				1	Mass. N. Y.
	2100000 copu (onion)					1	11. 1.
ENGLAND nsects:							
Acalypta parvula (Tingitidae)	Packing around plants Soil around Primula plant Chrysanthemum sp Radicula armoracia (horse-		1				D. C. Do. N. Y.
Agromyza sp. (Agromyzidae) Do	Radicula armoracia (horse-			1		2	Mass.
Aleyrodes brassicae (whitefly)	radish). Brassica oleracea captilata (cabbage).	1				1	N. Y.
Anuraphis cynariella (aphid)	Cynara scolymus (globe arti- choke).					1	Mass.
Apion carduorum (Curculionidae)	do					1	N.Y.
Apion pomonae (Curculionidae) Do	Vicia sp. (vetch)	1					III. Mass.
Barynotus obscurus (Curculionidae) _ Brachyrhinus sp. (Curculionidae)	Soil with lavender plants Soil around roots of rhododen- dron.	2	1				D. C. Wash.
Bregmatothrips iridis (thrips)	Iris sp.	1	1				D. C.
Bruchus affinis (Bruchidae) Bruchus luteicornis (Bruchidae) Callosobruchus ademptus (Bruchi-	Iris sp Lathyrus sp. Vicia sp. (vetch) Pueraria thunbergiana (kudzu)	1	1				Do. Md. D. C.
dae). Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica campestris (rutabaga)					7	N. Y.
Do	do					4	Pa. Ala.
Do	do					9	La.
Do	do		V			3 13	Md. N. Y.
Do	do do					4	Pa.
Do Do	do			1		16	Tex. Va.
Ceutorhynchus sp. (Curculionidae)	Brassica campestris (rutabaga)_					2	N. Y.
Do						1 1	Tex.
Do	00					1	La.
Do	do					6	Md. N. Y.
Do	do					2	Pa.
D0	do					1	S. C.
	do					3	Tex. Va.
Chaetopsis sp. (Otitidae)	do					1	Pa.
Chionaspis salicis (Coccidae)	Fraxinus velutina Arachis hypogaea (peanut) Quercus robur (English oak)		1				D. C.
Corcyra cephalonica (rice moth)	Arachis hypogaea (peanut)	1					La.
Curculio sp. (Curculionidae)	Quercus roour (English oak)		1				D. C. Do.
Dialeurodes chittendeni (rhododen-	Quercus sp Rhododendron sp	3					Do.
dron whitefly). Dolopius marginatus (Elateridae)	Dianthus sp		1				Do.
Epipolaeus caliginosus (Curculionidae).	Humulus sp		1				Do. Do.
Frankliniella intonsa (thrips) Helophorus sp. (Hydrophilidae)	Sempervivum sp. (houseleek) Narcissus sp		1	1			N. Y.
Hepialus sp. (Hepialidae)	Narcissus sp Rheum sp. (rhubarb)				1		Tex.
Las peyresia splendana (Olethreutidae).	Quercus sp. (acorn)		2				D. C.
Do	do		1				111.
Do Lecanium coryli (Coccidae)	dodo		1				Pa.
Lecanium coryli (Coccidae)	Liquidambar orientalis	1					D. C. Do.
Do	Salix sp. (willow)		1				N. Y.

List, by countries, of pests collected and reported from July 1, 1938, to June 20, 1939, inclusive—Continued

		Nu	mber tic	r of in	ntero	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
England—Continued							
nsects—Continued. Leiosoma oblongulum (Curculioni-	Soil around primrose plant		1				D. C.
dae). Le perisinus fraxini (Scolytidae)	Fraxinus sp. (ash)	2					N.Y.
Lepidosaphes tuberculata (Coccidae)_	Fraxinus sp. (ash) Cymbidium sp. (orchid) Iris ruthenica	4	1				D. C.
Limothrips denticornis (thrips) Merodon sp. (Syrphidae)	Narcissus sp.		1	1			Do.
Merodon sp. (Syrphidae) Micrelus ericae (Curculionidae) Mordellistena sp. (Mordellidae)	Narcissus sp Calluna vulgaris (heather) Cattleya sp. (orchid) Chrysanthemum sp Clematis sp Crataegomespilus grandiflora Dianthus sp. (carnation)		1				Mass.
Mordellistena sp. (Mordellidae) Myzus ornatus (aphid)	Chrysanthemum sp	1		1			D. C.
Do	Clematis sp.	1					N. Y. D. C.
Do	Crataegomespilus grandiflora	1					Do.
Do	Dianthus sp. (carnation) Fuchsia sp Potentilla alpestris aurea-plena		1				Do.
Do	Potentilla alpestris aurea-plena.		1		~		Do.
Do	Primula sp. (primrose)		1				Do.
Myzus primulae (aphid)	Fuchsia Sp. Potentilla alpestris aurea-plena. Primula sp. (primrose) Viola sp. Primula veris Primula sp. Soii around lily bulbs. Guercus robur (English oak)		1		222		Do.
Do	Primula sp.		1				Do.
Nargus anisotomoides (Silphidae) Neuroterus quercus-baccarum (Cyn-	Quercus robur (English oak)		. 1	1			Do.
ipidae).							
Parlatoria oleae (Coccidae) Parlatoria pseudaspidiotus (Coccidae)	Prunus domestica (plum) Vanda sp. (orchid)	1				1	Pa. D. C.
dae). Phyllotreta sp. (Chrysomelidae)	Brassica rapa (turnip)					1	N.Y.
Phytomyza atricornis (Agromyzidae)	Chrysanthemum sp.				1		N. Y. Do.
Psychid Psylliodes chrysocephala (Chry-	Chrysanthemum sp. Ilex aquifolium (English holly) - Brassica rapa (turnip)		1			1	D. C.
somelidae).	Brassica rapa (tarinip)						
Do	do					1 2	Md.
Do	do					1	N. Y. Pa.
Do							fill- w
Rhabdophaga sp. (Cecidomyiidae)	Salix sp. (willow) Calluna vulgaris (heather) Gladiolus sp. Primula sp. Box of mixed herbaceous per-		1	1			N. Y. Wash.
Rhopalosiphum tulipaella (appid)	Gladiolus sp		1				Do. Calif.*
Scaphisoma sp. (Scaphidiidae) Sitona lineata (Curculionidae)	Primula sp.		1				Calif.* D. C.
Suona imeaia (Carcanonidae)							D. C.
Teaniothrips atratus (thrips)	Calluna vulgaris (heather) Tetragonia expansa (New Zea-		1				Mass.
Do	Tetragonia expansa (New Zea-					1	N.Y.
Taeniothrips ericae (thrips)	land spinach). Calluna vulgaris (heather)		1				D. C.
Do	a		1				Mass.
Taeniothrips sp. (thrips) Thrips fuscipennis (thrips)	do Lupinus sp. (lupine) Laurus nobilis (Grecian laurel)	1	2				Wash. D. C.
Tortricid					1		N. Y.
Trialeurodes sp. (whitefly)	Malus sylvestris (apple)					1	Tex. D. C.
Trypetid	Rosa sp		1				Do.
Trypetid	Rosa spCalluna vulgaris (heather)do		1				Do.
Do			1				Wash.
Alternaria dianthi	Dianthus sp		1	<u>-</u> -			D. C.
Aphelenchoides parietinus Do	Iris sp Petroselinum hortense (parsley)_			1		₁ -	Mass. N. Y.
Anhelenchus anenae				1			Mass.
Botrytis galanthina Cercospora angreci Ditylenchus dipsaci	Narcissus sp. Odontoglossum sp. (orchid) Iris anglica (English iris) Iris sp.		1				D.C.
Ditylenchus dipsaci	Iris anglica (English iris)	1	1				Do.
Do	Iris sp		2				Mass.
Prusiphe polygoni	Narcissus sp.		2				D. C. Do.
Do Erysiphe polygoni Gloeosporium bidgoodii	Narcissus sp		1				Hawaii
Hemileia oncidi	Oncidium sp. (orchid)	1					D. C.
Heterosporium echinulatum Phoma oleracea	Dianthus sp. (carnation) Brassica oleracea botrytis (cauli-		1			<u>-</u> -	Wash. N. Y.
Do	Brassica oleracea capitata (cab-					1	Do.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu	mber	r of i		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
England—Continued							
Diseases—Continued. Phyllachora graminis Rhytisma acerinum Sclerotinia fructicola Septoria azaleae Verticillium albo-atrum	Acer pseudoplatanus (Sycamore maple). Malus sylvestris (apple)						Mass. N. Y. Pa. N. Y. Do.
ETHIOPIA Insects: Pectinophora gossypiella (pink bollworm). Diseases:	Gossypium sp. (cottonseed)						D. C.
Puccinia anomala	Hordeum sp		1				Do.
EUROPE Diseases: Aphelenchoides hodsoni	Narcissus sp			1			N. Y.
FEDERATED MALAY STATES Insects: Parlatoria pseudaspidiotus (Coccidae).	Vanda sp. (orchid)	1					D. C.
FIJI ISLANDS Insects: Odonaspis penicillata (Coccidae) FINLAND	Bambusa sp. (bamboo)			1			Wash.
Diseases: Botrytis allii	Allium cepa (onion)					1	N. Y.
Do	choke). do Brassica rapa (turnip) Vicia sp. (vetch) Juglans sp. (walnut) Brassica rapa (turnip) Malus sylvestris (apple). Cutisus scoparius (Scotch broom). Laburnum alpinum Vicia angustifolia (vetch). Vicia sp. (vetch). Vicia sp. (vetch). Vicia sp. do do do Lathyrus hirsutus. Brassica rapa (turnip)	3 1 4 1 1 1 1 1	2 2	1		1 1 1 1	N. Y. Wash. D. C. La.
gall weevil). Do. Do Do Ceutorhynchus sp. (Curculionidae) Cleonus mendicus (Curculionidae) Coleophora sp. (Coleophoridae) Do. Do. Colobicus marginatus (Colydiidae) Curculio elephas (Curculionidae) Do. Dryocosmus australis (Cynipidae) Dryomyia lichtensteini (Itonididae) Eriophyses macrorhynchus (mite) Eumerus sp. (Syrphidae)	do do Excelsior packing Malus sylvestris (apple) Prunus sp Pyrus communis (pear) Juglans sp, (walnut) Quercus suber (cork oak) Quercus sp. (oak) do do Acer sp. (maple)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1			17	N. Y. Tex. N. Y. Do. D. C. Do. Va. Calif.* Do.* D. C. Do. N. Y. Do.*

		Nu	mber tio	r of i		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in→
FRANCE-Continued							
Insects—Continued.	Stonale comente (wyre)	1					N. Y.
Forficula auricularia (European earwig). Helophorus sp. (Hydrophilidae)	Secale cereale (rye) Brassica rapa (turnip)	1				2	Do.
Iridomyrmex melleus (ant) Iridomyrmex melleus var. (ant)	Dendrobium sp. (orchid) Cypripedium aladin (orchid) Moss packing for Vanda caeru-	1 1					D. C. Hawaii.*
Do	lea.						Do.*
Laspeyresia sp. (Olethreutidae)	Quercus suber (cork oak) Quercus sp. (oak)	1					Calif.* Do.*
Liothrips vaneeckei (thrips) Lonchoptera sp. (Lonchopteridae)	Lilium sp. (lily) Valeria nella locusta olitoria	6				1	N. Y. Do.
Magdalis sp. (Curculionidae) Myelois sp. (Phycitidae)	(corn salad) Chaenomeles sp Phoenix dactylifera (date)		1	1			D. C. N. Y.
Phyllotreta sp. (Chrysomelidae) Phytomyza sp. (Agromyzidae)	Brassica rapa (turnip) Brassica oleracea botrytis (cauli-		~			1 2	Do. Do.
Psylliodes chrysocephala (Chryso-	flower). Brassica rapa (turnip)					1	La.
melidae).	do					13	N. Y.
Psylliodes sp. (Chrysomelidae) Ptinus tectus (Ptinidae)	Brassica oleracea botrytis	1				1	Do. Wash.
Taphropeltus contractus (Lygaei-dae).	Vicia sp. (vetch) Forest litter packing around fruit trees.	1					D. C.
Thrips angusticeps (thrips) Thrips fuscipennis (thrips)	Cichorium intybus (escarole) Amygdalus persica (peach)					1 1	N. Y. Do.
Tropistethus holosericeus (Lygaei-	Forest litter packing around fruit trees.	1					D. C.
Xylotrechus rusticus (Ceramby-	Juglans sp. (walnut)	1					Va.
Diseases: Albuqo tragopogonis	Tragopogon porrifolium (sal-					1	N. Y.
Aphelenchus avenae	sify). Hyacinthus orientalis albulus (Roman hyacinth).	1					Do.
Ditylenchus dipsaci	Iris sp	1				i	Calif.* Tex.
Leptosphaeria heterospora Macrophoma candollei	Iris sp		2	2			D. C. N. Y.
Peronospora pisi Phoma iridina	Pisum sativum (pea) Iris sp		1			1	Do. D. C.
Phyllosticta ruscicola Puccinia scirpi	Ruscus sp. (butchersbroom) Scirpus validus	1		1			Pa. N. Y.
Ramularia cynarae	Cynara scolymus (globe arti- choke).					1	Do.
Sclerotium cepivorum Do	Allium cepa (onion) Allium sativum (garlic)					1 1	Do. Do.
Sphaeropsis malorum	Prunus laurocerasus (cherry-laurel).	1					Do.
Uromyces fabae Uromyces limonii	Vicia sp. (vetch) Statice armeria (thrift)	2	1				Do. Do.
Valsa leucostoma	Malus sylvestris (apple)	î					D. C.
FRENCH CAMEROONS Insects:							
Xyleborus sp. (Scolytidae)	Entandrophragma utile	1					N. Y.
FRENCH GUINEA Insects:							
Specularius erythrinae (Bruchidae) Do	Erythrina spdo		1				D. C. N. Y.
FRENCH INDO-CHINA							
Insects: Pseudaonidia duplex (camphor scale).	Ananas sativus (pineapple)	1					Hawaii.*
FRENCH WEST AFRICA							
Insects: Pyrophorus sp. (Elateridae) Xyleborus sp. (Scolytidae)	Lovea klaineana	1 3					N. Y. Do.

		N	ımbe ti	er of i	ntere	cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in
GERMANY							
GERMANY Insects: Acrolepia assectella (Plutellidae) Agromyza sp. (Agromyzidae) Apion craccae (Curculionidae) Apion pomonae (Curculionidae) Bruchidius villosus (Bruchidae) Bruchus atomarius (Bruchidae) Do Do Bruchus viciae (Bruchidae) Ceutorhynchus sp. (Curculionidae) Coutorhynchus sp. (Curculionidae) Do Do Do Do Elleschus sp. (Curculionidae) Ernobius abietis (Anobiidae) Frankliniella intonsa (thrips) Gastrodes abietum (Lygaeidae)	Radicula armoracia (horse- radish). Vicia sp. (vetch)	4	1 2 9 1 1 1 1 1 1 1 1 1 1	1 2	1	1	N. Y.
Hylemya sp. (Anthomytidae) Hylungops palliatus (Scolytidae) Ischnodes sanguinicollis (Elateridae). Laspeyresia splendana (Olethreutidae). Laspeyresia strobila (Olethreutidae).	Pinus sp. (pine) In soil around azalea Castanea sp. (chestnut) Picea sp. (spruce)		1 3	1			Do. Va. D. C. N. Y. Ill.
dae), Do. Do. Do. Lecanium coryli (Coccidae)	do	1 1	1 2 1 1 1	1			Md. N. Y. D. C. N. Y. La. Do. Calif.* N. Y.
Philophylla heraclei (celery fly) Rhopalosiphoninus tulipaella (aphid).	Apium graveolens (celery) Radicula armoracia (horse- radish).					1	Pa. Mass.
Thrips fuscipennis (thrips) Tortricid Do. Diseases: Aphelenchoides fragariae	Calluna vulgaris (heather) Malus sylvestris (apple) Pyrus communis (pear) Convallaria maialis (lily-of-the-	12					Pa. D. C. Do.
Aphelenchoides parietinus Aphelenchus avenae Ascochytula grossulariae	valley)do	7		1			Do. Do. Do.
Clithris quercina Cromartium ribicola Discosia pini Ditylenchus dipsaci	Ribes sp	1 15	1 	1			D. C. N. Y. Do. Do.
Do Heterodera marioni	valley). Solanum tuberosum (potato) Aconitum lycoctonum (wolfsbane).		1			1	Tex. D. C.
Do Lophodermium pinastri	Tragopogon reticulata		1	<u>i</u> -			Do. N. Y.
Pestalozzia macrotricha Phyllosticta maculiformis	Rhododendron sp Castanea sativa (Spanish chest-	1	1				Do. Do.
Phyllosticta saccardoi Pratylenchus pratensis	nut). Rhododendron sp Convallaria majalis (lily-of-the-valley).	1 28					Do. Do.
Do Sclerotinia cinerea Septoria azaleae Do Septoria chrysanthemella	Ribes sp. Malus sylvestris (apple)Azalea indica. Azalea sp. Chrysanthemum sp.			1 2	1 4		Do. Do. Do. D. C. N. Y.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		N		er of ons i	intere	cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
GOLD COAST							
Insects: Xyleborus affinis (Scolytidae)	Lovea klaineana (tiger wood)	1					Va.
GREAT BRITAIN							
Insects: Barynotus obscurus (Curculionidae)	Soil around roots of snowdrop		1				D. C.
GREECE	bulbs.						
Insects: Bruchus rufipes (Bruchidae) Bruchus ulicis (Bruchidae) Cryptoblabes sp. (Phycitidae)	Vicia sativa (vetch)		1	1			N. Y. Do. Do.
Melanotus sp. (Elateridae)	Soil around roots of Asparagus sprengeri plant.			1			Do.
Myelois sp. (Phycitidae)	Punica granatum (pomegranate).			1			Do.
Parlatoria oleae (Coccidae) Pectinophora gossypiella (pink boll-worm).	Malus sylvestris (apple) Gossypium sp. (seed cotton)			2			Do. Ga.
Thrips angusticeps (thrips) Diseases:	Cynara scolymus (globe arti- choke).		3			1	La. N. Y.
Cytospora vitis Septoria citri	Vitis sp. (grape) Citrus limonia (lemon)			1		1	Do. Do.
GRENADA Insects:							
Euscepes postfasciatus (West Indian sweetpotato weevil). Diseases:	Ipomoea batatas (sweetpotato)			1			Mass.
Ceratostomella fimbriata	do			1			Do.
GUADELOUPE Insects: Chrysomphalus dictyospermi var. (Coccidae).	Asparagus sp. (fern)			1			P. R.
Conchaspis angraeci (Coccidae) Furcaspis biformis (Coccidae) Parlatoria crotonis (Coccidae) Pinnaspis minor strachani (Cocci-	Hibiscus sp Oncidium sp. (orchid) Codiaeum sp. (croton) Hibiscus sp	1		1 1 1			D. C. Do. Do. Do.
dae). Pseudoparlatoria ostreata (Cocci-	Antigonon sp			1			Do.
dae). Vinsonia stellifera (Coccidae)	Oncidium sp. (orchid)	1					Do:
GUATEMALA							
In sects: Acrolophus sp. (Tineidae)	Cattleya sp. (orchid)	1					Do.
Aleurodicus sp. (whitefly)	Orchid Odontoglossum sp. (orchid)	1					Calif.* D. C.
Aleurotrachelus sp. (whitefly)	Lycaste cruenta (orchid)	1					Calif.* Do.*
Anastrepha sp. (Trypetidae)	Achras sapota (sapodilla) Mangifera indica (mango)			1		1	La. Pa.
Aspidiotus palmae (Coccidae) Athous sp. (Elateridae)	Musa sp. (banana) Tabebuia donnell-smithii (pri- mavera). do	1					Fla.* N. Y.
Aulonium bidentatum (Colydiidae)	do	1					La. N. Y.
Brentus mexicanus (Brentidae)	Coffea sp Tabebuia donnell-smithii With cashew, mangoes, and	1 1 1		 1			Tex. N. Y. Pa.
borer). Cossonus canaliculatus (Curculionidae).	Spondias. Tabebuia donnell-smithii (pri-mayera).	1					га. N. Y.
Cossonus sulcirostris (Curculionidae).	do	1					Do.
Cryptorhynchus sp. (Curculionidae)	Banana debris Coffea sp Tabebuia donnell-smithii	1 1 1					La. Tex. N. Y.

		N	umbe ti	er of i	inter n—	cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
GUATEMALA—Continued							
Insects—Continued. Eurhoptus sp. (Curculionidae)	Tabebuia donnell-smithii Swietenia mahogani (mahogany), Tabebuia donnell-smithii (primavera), do Laelia rubescens (orchid) Cattleya aurantinca (orchid). Cattleya bowringina (orchid). Cattleya skinneri (orchid). Epidendrum stamfordianum (orchid). Banana debris Cattleya skinneri (orchid). Guaiacum officinale (lignumvitae). Tabebuia donnell-smithii (primavera), do	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					Calif.* Do.* Do. Calif.* Do.* Do. Calif.* Do.* Tex. Md. Tex. Calif.* Do.* N. Y. Do. Do. La. N. Y. Do. Do. La. N. Y. Do. Do. La. N. Y. Calif. Y. Do. Calif. Y.
D'ndrodochium cattleyae Fusarium orchidis Glo-osporium cat leyae Gloeosporium epidendri Gloeosporium odontoglossi macro- spora. Bestaran nalmayum	Oncidium splendidum (orchid). Cattleya skinneri Epidendrum radiatum (orchid). Odontoglossum grande (orchid).						Do.* Do.* Do.* Do.*
Pestalozzia palmarum GUERNSEY Insects: Myzus ornatus (aphid)					1		Pa. N. Y.
Insects: Aleurocanthus sp. (whitefly) Anastrepha sp. (Trypetidae) Aspidiotus destructor (Coccidae)	Citrus aurantifolia (lime) Mangifera indica (mango) Amygdalus communis (almond)			1 1 1			Do. Do. Fla.*

			Number of intercep- tions in—						
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—		
HAITI—Continued									
nsects—Continued.									
Bephrata sp. (Eurytomidae)	Annona muricata (soursop)			1			N. Y.		
Coccus viridis (Coccidae) Elaphidion sp. (Cerambycidae)	Coffea sp Guaiacum officinale (lignum-	1		1			Fla.* N. Y.		
	vitac).			Î					
Frankliniella cubensis (thrips)	Rosa sp.			1 1			Fla.* Do.*		
Heterothrips sericatus (thrips) Pectinophora gossypiella (pink boll-	Gossypium sp. (cottonseed)			1			N. Y.		
worm). Selenothrips rubrocinctus (red-					1		Fla.*		
banded thrips).	Rosa sp.				1		ria.		
Targionia bromeliac (Coccidae)	Ananas sativus (pineapple) Saccharum officinarum (sugar-					1	Va.		
Targionia sacchari (Coccidae)	Saccharum officinarum (sugar-				1		Fla.*		
. Do	do			1			N.Y.		
Diseases: Colletotrichum falcatum	do			1 3	,		Flo *		
Gloeosporium bidgoodii	Oncidium sp. (orchid)			1	1		Fla.* N. Y.		
Puccinia purpurea	Holcus sorghum (sorghum)		1				Do.		
HAWAII									
nsects:									
Adoretus sinicus (Scarabaeidae)	Cocos nucifera (coconut) Flower leis			1			Calif.* Do.*		
Aonidiella inornata (Coccidae)	Areca catechu (betel palm)	ĩ		1			Do.*		
Do	Jasminum sambac (Arabian		1	1			Do.*		
Attagenus undulalus (Dermestidae)	jasmine). Dianthus sp			1			Do.*		
Autographa sp. (Noctuidae)	Ananas sativus (pineapple)	1					Do.*		
Caryedon fuscus (Bruchidae)	Cassia sp. Prosopis chilensis (algaroba)			1			Do.* Do.*		
Do	Capsicum annuum (pepper)			1		1	Do.*		
fruitfly).									
Do	Coffea arabica (Arabian coffee)_ Ficus indica (fig)			1	1		Do.*		
Do	Mangifera indica (mango)			3	2		Do.*		
Do	Persea americana (avocado)	1		<u>-</u> -			Do.* Do.*		
Do	Unidentified lei			1			Do.*		
Chionaspis yanonensis (Coccidae)	Citrus sinensis (orange)			1			Wash.		
Coccus viridis (Coccidae) Dacus cucurbitae (melon fly)	Gardenia florida (Cape-jasmine) Cucumis sativus (cucumber)			1		3	Calif.* Do.*		
Dialeurodes kirkaldyi (whitefly)	Gardenia florida				1		Do.*		
Do	Jasminum sambac (Arabian jasmine).			1			Do.*		
Ereunetis flavistriata (sugarcane bud	Cocos nucifera (coconut)			2			Do.*		
worm).				0			D. *		
Ereunetis sp. (Tineidae)	Ananas sativus (pineapple)	2		2			Do.* Do.*		
Haplothrips gowdeyi (thrips)	Cocos nucifera Anthurium sp Gardenia sp			1			Do.*		
Isorhinus sp. (Curculionidae) Lampides baetica (Lycacnidae)	Canaraha SD			$\frac{1}{2}$			Do.*		
Do	Dioclea violacea (Mauna-loa) Herbarium specimens, Mau-			5			Do.*		
Do	Herbarium specimens, Mau- na-loa included.			1			Do.*		
Lepidosaphes auriculata (Coccidae)	Codineum sp. (croton)	1	2	2			Do.*		
Lepidosaphes uniloba (Coccidae)	Alyxia olivaeformis (maile)			2			Do.*		
Maruca testulalis (East Indian bean pod borer).	Dioclea violacea (Mauna-loa)			1	1		Do.*		
Do	Herbarium specimens,			1			Do.*		
Do	Mauna-loa included.						Do.*		
Morganella maskelli (Coccidae)	Phaseolus sp. (string bean) Hibiscus sp.		1			1	Do.*		
Parlatoria crotonis (Coccidae)	Hibiscus sp. (croton) Cocos nucifera (coconut) do				1		1)0.*		
Phenacaspis eugeniae (Coccidae) Phenacaspis eugeniae sandwichensis	do do			1			Do.* Wash.		
(Coccidae).									
Pseudaonidia clavigera (Coccidae)	Hibiscus sp.		1	1			Calif.*		
Pseudaonidia tesserata (Coccidae) Do	Codiaeum sp. (croton) Hibiscus sp Cocos nucifera (coconut) Unidentified tree		1				Do.*		
Ripersia palmarum (Coccodae)	Coope namifora (oppopulat)	1	-	7	1	1000	Do.*		

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nt	ımbe tic	er of i	inter n—	cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
HAWAII—Continued							
Insects—Continued. Sternochetus mangiferae (mango	Mangifera indica (mango)			5	3		Calif.*
weevil). Taeniothrips hawaiiensis (thrips) Do	Dioclea violacea (Mauna-loa) Gardenia florida (Cape- jasmine),			2			Do.* Do.*
Taeniothrips simplex (gladiolus thrips). Xyleborus kraatzi (Scolytidae)	Gladiolus sp			1			Do.*
Diseases:	cane).			-			Do.*
Uromyces alyxiae HONDURAS	Alyxia olivaeformis (maile)			1			Do.*
Insects: Acanthoderes sp. (Cerambycidae) Do	Cedrus sp. (cedar)	1 2					La . Do.
Asterolecanium aureum (Coccidae) Brentus mexicanus (Brentidae)	any). Orchid Cedrus sp. (cedar)	1		1			D. C. La.
DoChalcolepidius sp. (Elateridae)	Tabebuia donnell-smithii (pri- mavera). Cedrus sp. (cedar)	1					Do.
Do	Swietenia mahogani (mahogany). Tabebuia donnell-smithii (pri-	1					Do.
Chrysomphalus dictyospermi var.	mavera). Mangifera indica (mango)	-			1		Mass.
(Coccidae). Coccus viridis (Coccidae)	Gardenia florida (Cape-jas-			1			La.
Colydodes gibbiceps (Colydiidae)	mine). Swietenia makogani (mahogany).	1					Do.
Conotrachelus sp. (Curculionidae) Copturus sp. (Curculionidae) Do	Cedrus sp. (cedar) do Swietenia mahogani (mahog-	1 2 4					Do. Do. Do.
Dialeurodes sp. (whitefly)	any). Gardenia florida (Cape-jas-			1			Do.
Discoloma humerale (Discolomidae)	mine). Cedrus sp. (cedar)	4 3					Do. Do.
Fulvius sp. (Miridae)	any). Cedrus sp. (cedar) Tabebuia donnell-smithii (pri-	1 1					Do. Do.
Heilipus sp. (Curculionidae) Homoeosoma sp. (Phycitidae) Hypsipyla grandella (Phycitidae)	mavera). Persea americana (avocado) Tabebuia donnell-smithii	1			1		Ala. La.
Metamasius sericeus (silky cane	Cedrus sp. (cedar) do Musa sp. (banana)	4 1 1					Do. Do. Md.
weevil). Metamasius sericeus carbonarius (Curculionidae).	do	1					Do.
Nasutitermes cornigera (termite) Do	Cedrus sp. (cedar) Swietenia mahogani (mahog-	1					La. Do.
Odonaspis saccharicaulis (Coccidae)_	any). Saccharum officinarum (sugar- cane).				1		Mass.
Paxillus sp. (Passalidae) Phelomerus aberrans (Bruchidae) Platydema subquadratum (Tenebrionidae).	Cedrus sp. (cedar) Cassia fistula (golden-shower)_ Cedrus sp. (cedar)	1 1			1		La. Do. Do.
Platypus sp. (Platypodidae) Pyrophorus sp. (Elateridae)	Swietenia mahogani (mahog-	1					Do. Do.
Stenoma catenifer (avocado seed moth).	any). Persea americana (avocado)				2		Ala.
Stephanoderes sp. (Scolytidae)	Adansonia digitata (baobab tree).			1			La.
Targionia hartii (Coccidae)	Dioscorea sp. (yam)	1			1		Mass. La.

		110	mbe tic				
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Honduras-Continued							
Insects—Continued. Xyleborus affinis (Scolytidae)		1					La.
Xyleborus confusus (Scolytidae)	any). Cedrus sp. (cedar) Swietenia mahogani	3 2					Do.
Do	Cearus sp. (cedar)	1 2					Do. Do.
Xyleborus propinquus (Scolytidae) Xyleborus torquatus (Scolytidae)	do	$\frac{2}{2}$					Do.
Xyleborus sp. (Scolytidae)	do	3 2					Do. Do.
Do	Swietenia mahogani (mahog- any).						
Xylotrechus sp. (Cerambycidae)	Tabebuia donnell-smithii (pri- mavera).	1					N. Y.
Diseases: Cercospora musae Pestalozzia palmarum	Musa sp. (banana)	1			1		Mass. N.Y.
Hungary							
Insects: Bruchidius sp. (Bruchidae) Do.	Trifolium repens (white clover)		1 1				D. C. N. Y.
Bruchus brachialis (vetch bruchid)	Vicia villosa (hairy vetch)	6					Ala.
Do	do	2	2				D. C. Ga.
Do .	do	1					La.
Do	do	4					Md. N. Y.
D0	do	8					Va.
Do	Vicia sp. (vetch)	8 7					Ala.
Do	do	3	7				D. C. N. Y.
Do	do	1	1				Pa.
Do	do	4					S. C.
Do	Vicia sativa (vetch)	4	~				Va.
Bruchus rufipes (Bruchidae)	Vicia sativa (vetch)	3					La. Ala.
Diaspis visci (Coccidae)	Vicia villosa (hairy vetch) Juniperus sp. (juniper)		1				Calif.*
Eurytoma onobrychidis (Eurytomi-	Onobrychis viciaefolia		1				N.Y.
Hunga sp. (Curaulionidae)	Vicia villosa (hairy vetch)	1					Va.
Hypera sp. (Curculionidae)	Vicia sp. (vetch)	1					Ala.
Polychrosis botrana (vine moth)	Vitis sp. (grape)			1			N.Y.
Pycnomerus tenebrans (Colydiidae)	Vicia villosa (hairy vetch)	1 4					Va. Mass.
Pyrausta nubilalis (European corn borer).	Holcus sorghum var. (broom-	4					wass.
Do	do	4					N.Y.
Diseases: Sorosporium reilianum	do	1					Mass.
India							
Insects: Amblycerus robiniae (Bruchidae)	1 agaig an		1				D.C.
Bruchidius sp. (Bruchidae)	Acacia sp		1				Do.
Do	Albizzia stipulata Inga sp		1				Ill.
Callosobruchus chinensis (Bruchi- dae).	Gram (paddy mixture)					1	Mass.
	Oryza sativa (rice) Paddy rice and chickpea					1	Do.
Carvedon fuscus (Bruchidae)	Prosopis iulitora		1				D.C.
Chilo simplex (Asiatic rice borer)	Oruga satina (rico)		1				D.C.
Coccotrypes sp. (Scolytidae) Curculio sp. (Curculionidae)	Actinorhytis sp. (palm) Eugenia jambos (rose-apple)		1 1				120.
Do	Eugenia panicaiaia		1				N.Y.
Eurytoma sp. (Eurytomidae)	Indigofera sp Cymbidium lowianum (orchid)_		1 1				D. C. Calif.*
Gelechiid	Bambusa longispiculata		1				D. C.
Kytorhinus sp. (Bruchidae) Lepidosaphes tuberculata(Coccidae) _	Piptanthus nepalensis		1				Do.
	Cymbidium lowianum (orchid)_		1				Do.
Lepidosaphes tuberculata (Coccidae)	Oruga sating (poddy rice) and						
Lepidosaphes tuberculata (Coccidae) _ Lophocateres pusillus (Siamese grain beetle).	Oryza sativa (paddy rice) and Cicer arietinum (chickpea).					1	Mass.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

			mbe tic	ep-			
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
India—Continued							
Diseases:							
Bacterium citri Gloeosporium coelogynes Gloeosporium cymbidii	Citrus grandis (grapefruit)		1 1			1	Mass. Calif.* Do.*
Ustilago reiliana	Holcus sorghum var. (broom-	1					N.Y.
IRELAND	corn).						
Insects: Athous subfuscus (Elateridae) Ceutorhynchus sp. (Curculionidae) Coelostoma orbiculare (Hydrophilidae).	Soil with violet plants		1 1	1			D. C. N. Y. D. C.
Hynoidus sp. (Elateridae) Lecanium coryli (Coccidae)	Soil around roots of spruce Prunus virginiana pendula		<u>-</u> -	1			Mass. D. C.
Megophthalmus scanicus (Cicadel-	(weeping choke cherry). Trifolium repens var. (sham-		1				N. Y.
lidae). Diseases:	rock).						
Phragmidium subcorticinum Verticillium albo-atrum	Rosa sp	1		1			D. C. N. Y.
ISLE OF WIGHT							
Insects: Myzus ornatus (aphid)	Viola sp. (violet)		1				D. C.
ITALY							
Insects: Aclerda berlesii (Coccidae)	Arundo donax (giant reed)		1				Do. N. Y.
Do	Brassica oleracea botrytis (cau-			2			N. Y. Mass.
Do	liflower). Brassica oleracea capitata (cab-bage).					3	N. Y.
Amphorophora azaleae (aphid)				1	1		Do.
Anuraphis cynariella (aphid)	Azalea sp. Cynara scolymus (globe arti-					_	Do. Do.
Apion carduorum (Curculionidae)	Vicia sp. (vetch)	1				1	Mass.
Argyresthia sp. (Hyponomeutidae) _ Aspidiotus lenticularis (Coccidae) _	Olea europaca (olive) Corylus sp. (hazelnut)		1	1			N. Y. D. C.
Aspidiotus spinosus (Coccidae) Brachycerus algirus (garlic weevil) Bruchidius villosus (Bruchidae)	Corylus sp. (hazelnut)	1	1				Do. N. Y.
	Spartium junceum (Spanish broom).	1					Do.
Bruchus affinis (Bruchidae) Bruchus brachialis (vetch bruchid) Bruchus erri (Bruchidae)	Unknown stem Vicia sp. (vetch) Lens esculenta (lentil)		1				Mich. D. C. N. Y.
Bruchus laticollis (Bruchidae)	Dangius aprata	1 1					Pa.
Bruchus rufipes (Bruchidae)	Vicia sp. (vetch) Lens esculenta (lentil)	1	1				N. Y. D. C.
Bruchus signaticornis (Bruchidae) - Bruchus tristiculus (Bruchidae)	Lathyrus sp		1				Mich.
Bruchus tristis (Bruchidae)	Lathyrus sativus (grass pea) Citrus nobilis deliciosa (tanger-		1	2		1	N. Y. Do.
fruitfly). Do	ine). do		1				Pa.
Do	In box of sweet limes, tanger- ines, pomegranates, and one orange.		1				Do.
Do	Paper wrapping around quince		1	3			N. Y. Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	Ficus carica (fig) Brassica rapa (turnip)					1	Do.
Do	Citrus sp					1	Tex. Mass.
(Čoccidae).	Laurus nobilis (Grecian laurel)		1				N. Y.
Cleonus sp. (Curculionidae)	Radicula armoracia (horseradish).					2	Do.

		Nu		r of i		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
ITALY—Continued							
Insects—Continued. Cryptoblabes sp. (Phycitidae) Do	Citrus limonia (lemon) Excelsior packing for pomegranate.	1	-1				N. Y. Do.
Do	Punica granatum (pomegranate).		1	1			Do.
Curculio elephas (Curculionidae) Dacus oleac (olive fruitfly) Do	Castanea sp. (chestnut) Olea europaea (olive) do do		6 1 1	3		1	La. Mass. N. Y. Pa.
Depressaria sp. (Oecophoridae)	Cynara scolymus (globe arti- choke).					1	N.Y.
Eurytoma onobrychidis (Eurytomidae).	Onobrychis crista-galli		1				D. C.
Forficula auricularia (European earwig).	Vicia faba (fava hean), Amyg- dalus communis (almond), and Cicer sp.			1			Mass.
Frankliniella intonsa (thrips) Grapholitha sp. (Olethreutidae) Hemimene juliana (Olethreutidae) Hypoborus ficus (Scolytidae)	Foeniculum sp. (fennel) Amygdalus persica (peach) Castanea sp. (chestnut) Ficus sp			 1		1 1 1	N. Y. Mass. La. N. Y.
Laspeyresia splendana (Olethreutidae).	Castanea sp. (chestnut)					2	La.
Do	do	10	2	2			Mass. N. Y.
Do	do		1 2	3			Pa. N. Y.
1)0	do	ĩ		3			D. C. N. Y. Do.
Leucaspis riccae (Coccidae) Lixus sp. (Curculionidae) Mamestra brassicae (Noctuidae)	Brassica rapa (turnip) Brassica oleracea capitata (cab-					1	Do. Do.
Megastigmus pistaciae (Callimo- midae).	Pistacia vera (pistachio)	1					Do.
Megastigmus sp. (Callimomidae) Merodon sp. (Syrphidae) Myelois ceratoniae (Phycitidae)	Scilla sp. (squill) Punica granatum (pomegranate).	1		1			Do. Do. Do.
Orthezia urticae (Coccidae) Parlatoria camelliae (Coccidae) Parlatoria oleae (Coccidae)	Vitis sp. (grape) Camellia ja ponica (camellia) Amygdalus persica (peach)	1	1 1				Calif. D. C. Mass.
Do Do	do Malus sylvestris (apple) Pyrus communis (pear)	 <u>-</u> 2	2	3		2	N. Y. Do. D. C. N. Y.
Do Parlatoria ziziphus (Coccidae) Do	Citrus limonia (lemon)					1 1	N. Y. Calif.* La.
Pectinophora gossypiella (pink bollworm). Do	Gossypium sp. (cottonseed)	1	1				Calif.* D. C.
Phytomyza sp. (Agromyzidae)	Brassica oleracea bullata (Savoy cabbage). Brassica oleracea capitata (cab-					1	N. Y. Do.
Do	bage). Raphanus sativus (radish)					1	Do.
Pieris brassicae (Pieridae) Psylliodes chrysocephala (Chrysomelidae).	Brassica oleracea capitata Brassica juncea (mustard)					1	Do. Do.
Do	Brassica oleracea botrytis (broccoli). Mesembryanthemum sp			1		1	Do.
cidae). Pyrausta nuhilalis (European corn	Malus sylvestris (apple)			1			Do.
borer). Rhagoletis cerasi (Trypetidae)	Prunus sp. (cherry)					2	Mass.
Do. Rhynchites cupreus (Curculionidae) Rhyparochromus praetextatus (Ly- gaeidae).	Sorbus sp. (sorbe apple) Ficus carica (fig)		1			1	N. Y Do. D. C.
Stephanitis pyri (pear tingid) Thrips angusticeps (thrips)	Citrus sinensis (orange) Cynara scolymus (globe arti- choke).			1		2	N. Y. Do.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

	-	Nu	mbe	r of i	ntero	ep-	<u>:</u>
The second secon				ns ir		•	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
ITALY—Continued							
Insects—Continued. Thrips fuscipennis (thrips) Trialeurodes sp. (whitefly) Trypetid	Pittosporum sp		2		1 2	<u>-</u> -	N. Y. Do. Do.
Diseases: Alternaria dianthi Aphelenchus avenae Ascochyta lycopersici	mato). Solanum melongena (eggplant)_	1		1		2	Do. Mass. N. Y.
Coleosporium senecionis Cylindrosporium castanicolum	Castanea satita (Spanish chest- nut).				1		Do. Do.
Exosporium palmivorum Do. Fabraea maculata Fusicladium depressum Fusicladium eriobotryae Glomerella cincta Oidium euonymi-japonici	Foeniculum vulgare (fennel) Eriobotrya ja po nica (loquat) Dracaena sp Euonymus japonicus			1	1 1 1 3	3 1	Do. Do. Do. Do. Do. Do.
Oidium euonymi-japonici Peronospora pisi Pestalozzia disseminata Pestalozzia macrotricha Phagamidium disciffarum Phyllosticta ruscicola Do Pleospora herbarum	Fisum sativum (pea) Eucalyptus globosus Azalea sp Rosa sp	1		1 1 1 	7	7	Do. Do. Do. Do. Do. Pa. N. Y.
Ramularia cynarae	Cynara scolymus (globe arti- choke).					1	Mass.
Sclerotium cepivorum Septoria citri Do. Septoria endiviae. Septoria limonum Urccystis cepulae. Uromyces betae.	Allium cepa (onion) Citrus limonia (lemon) Citrus sinensis (orange) Cichorium intybus (chicory) Citrus limonia (lemon) Allium cepa (onion) Beta vulgaris cicla (Swiss			1		1 1 1 1 1 2	Pa. N. Y. Do. Do. Pa. N. Y. Do.
Uromyces fabae Do	chard). Vicia faba (fava bean). Vicia sp. (vetch). Dianthus sp. (carnation)	1		1		1	Do. Do. Do.
Insects: Anastrepha mombinpraeoptans (Trypetidae).	Mangifera indica (mango)		- -			1	Ala.
Do Do Anastrepha sp. (Trypetidae)	do Citrus grandis (grapefruit)			3	1		La. N. Y. Ala.
Do Do Aspidiotus spinosus (Coccidae) Asterolecanium charmoyi (Cocci-	Mangifera indica (mango) do Mammea americana (mamey) Herb leaf			4 1	1		Mass. N. Y. Fla.* N. Y.
dae). Asterolecanium miliaris (Coccidae) Do. Asterolecanium palmae (Coccidae) Chalcodermus sp. (Curculionidae) Chrysomphalus odontoglossi (Coccidae).	Bamboo Herb leaf. Cocos nucifera (coconut) Cicer arietinum (chickpea) Brassavola cordata (orchid)	 1	1	1	1		Do. Do. Fla.* N. Y. D. C.
Coccus riridis (Coccidae)	Coffea sp		1	1	1		Fla.* Do.
Euscepes postfasciatus (West Indian sweetpotato weevil). Frankliniella cephalica (thrips)	Dioscorea sp. (yam)			1			Mass.
Frankliniella insularis (thrips) Do	Antirrhinum majus (snap- dragon). Rosa sp Antirrhinum majus						Do. Do.

		Nu	mbe tic	r of i		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAMAICA—Continued							
Insects—Continued.							
Furcapis biformis (Coccidae)	Cattleya gigas (orchid) Cattleya sp. (orchid) Orchid	1					D. C. Do.
Do Do Haplothrips gowdcyi (thrips)	Antirrhinum majus (Snap-			1			Fla.* N. Y.
Myelois sp. (Phycitidae)	dragon). Tamarindus indica (tamarind).			1			Do.
Odonaspis inusitata (Coccidae) Palaeopus costicollis (yam weevil)	Bamboo			1			Fla.* Mass.
Do- Parlatoria psuedaspidiotus (Coc-	orchid	1		5			N. Y. D. C.
cidae).							
Pectinophora gossypiella (pink boll-worm).	Gossypium sp. (cottonseed)						N. Y.
Do Targionia hartii (Coccidae)	Gossypium sp. (cotton) (boll) Dioscorea sp. (yam)			2			Do. Do.
Targionia hartii (Coccidae) Targionia quohogiformis (Coccidae)	Dendrophylax funalisAnnona muricata (soursop)		1				Hawaii. N. Y.
Tineid	Dioscorea sp. (yam)			1			Mass.
Tortricid	Dioscorea sp. (yam) Cocoo nucifera (coconut)	1					La. D. C.
Vinsonia stellifera (Coccidae) Do	Broughtonia lilacina Broughtonia sanguinea	1	1				D. C.
Diseases: Aphelenchoides tenuicaudatus Botryosphaeria ribis	Dicscorea sp. (yam) Chrysophyllum cainito (star-						N. Y. Do.
Pratylenchus pratensis	apple). Dioscorea sp. (yam)			1			Mass.
Do Rotylenchus bradys	do			1 1			N. Y. Do.
				1			10.
JAPAN Insects:			1				
Aleyrodes azaleae (whitefly) Anaphothrips orchidii (thrips)	Azalea spAnthurium scherzerianum	1 2					Wash. Hawaii.
Anomala cuprea (Scarabaeidae)	Excessior packing for earthen-	1					Md.
Antonina crawi (Coccidae)	Ware. Bambusa sp. (bamboo)					1	Wash.
Antonina crawi (Coccidae)	Bambusa sp. (bamboo)					1	Do.
Aspidiotus spinosus (Coccidae)	Edisia SD			1	1		Do.
Aspidiotus transparens (Coccidae)	Aucuba japonica (Japanese aucuba).				1		N. Y.
Aulacaspis crawii (Coccidae) Callidium rufipenne (Cerambycidae).	Unidentified plant			1			Calif.* Do.*
Do	Pinus sp. (pine)	1					Do.*
Callosobruchus ademptus (Bruchi-dae).	Pueraria thunbergiana (kudzu).	1	2				D. C.
Do Do	do	1 1					La. Md.
Do	do	2					N. Y.
Do	do	1 5	1				Pa. Wash.
Do	Phaseolus angularis (adzuki bean).						Hawaii
Do	Phaseolus sp. (string bean)		1		1		Wash. Calif.*
Do	Malus sylvestris (apple) Viburnum furcatum	1					Wash.
	Citrus nobilis deliciosa (Man- darin orange).					1	Do.
Chilo simplex (Asiatic rice borer)	Fatsia ia ponica			5	1		Do. Calif.*
D ₀	Oryza sativa (rice)		2	1			Hawaii'
Do	do		1	2		3	Wash. Hawaii
Chionaspis wistariae (Coccidae) Chionaspis yanonensis (Coccidae)	Wisteria sp Citrus limonia (lemon)			1		1	Calif.*
Do	Citrus limonia (lemon)	1			1	1	Do.*
	Citrus nobilis deliciosa (Man- darin orange).					1	
D ₀	do Citrus nobilis deliciosa (tange-	5					Wash.
	CHETES TODILIS GELICIOSO (LANGE-	1					Do.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu	mbe tio	r of i	ntere	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Japan—Continued							
nsects—Continued. Chrysomphalus bifasciculatus (Coc-	Citrus nobilis deliciosa (Man-	1					Wash.
cidae). Chrysomphalus dictyospermi var.	darin orange).	1					Do.
(Coccidae). Cryptorhynchus sp. (Curculionidae).	Pinus sp. (pine)Camellia japonica (camellia)	5					Calif.*
Curculio sp. (Curculionidae)	Camellia japonica (camellia) Castanea sp. (chestnut)	20	1	7			Wash. Calif.*
Do	do	6					Wash.
Do	Quercus sp. (acorn)		1				Calif.* D. C.
Earias sp. (Noctuidae)	Azalea sp				1		Wash.
Elaphidion sp. (Cerambycidae) Fiorinia vacciniae (Coccidae)	Camellia sp	1			1		Calif.* Do.*
Laspeyresia splendana (Olethreuti-	Amygdalus persica (peach) Castanea sp. (chestnut)			1		1	Wash. Calif.*
dae). Laspeyresia sp. (Olethreutidae)	Castanea molissima (Chinese chestnut).	1					Wash.
Do	Quercus sp Camellia sasangua		1				D. C. Calif.*
Lepidosaphes conchiformis (Coccidae). dae).	Fraxinus japonica	1	1				D. C.
Lepidosaphes kamakurensis (Coccidae).	Camellia japonica (camellia)	2					Wash.
Lepidosaphes lasianthi (Coccidae)	Codiaeum sp. (croton)				1		N.Y.
Lepidosaphes pallida (Coccidae) Liothrips vaneeckei (thrips)	Juniperus sp. Lilium sp. (lily)		1	1			Wash. Calif.*
Do	do					1	La.
Maruca testulalis (East Indian bean pod borer).	do					5 1	Md. Wash.
Megastigmus borriesi (Callimomidae).	Abies sachalinensis (Sakhalin fir).	1					Do.
Megastigmus sp. (Callimomidae) Do	Acer palmatum (Japanese ma-	1	1				Calif.* Wash.
Melanotus sp. (Elateridae)	ple. Lilium longiflorum giganteum_ Lilium sp. (lily)	2 2					Pa. N. Y.
Do	do	1					Wash.
DoOlethreutid	Soil around Fatsia japonica plants.	1					Do. Do.
Do	Acer palmatum (Japanese maple). Phaseolus sp. (string bean)	1			7	3	Do.
Do	Podocarpus macrophylla (yew podocarpus).	3					Do.
Orthotomicus sp. (Scolytidae)	Podocarpus sinensis Pinus sp. (pine)	1					Do. Calif.*
Orthotomicus sp. (Scolytidae) Pagria signata (Chrysomelidae)	Sphagnum moss		1				Wash.
Parlatoria camelliae (Coccidae) Do	Camellia japonica (camellia)	<u>:</u> -	1				D. C. Wash.
D ₀	Camellia sasangua	1					Do.
Do Parlatoria pseudaspidiotus (Coc- cidae).	Camellia sp Vanda teres andersoni (orchid)_	1	1				Do. Hawaii
Do	Vanda teres grandiflora (orchid)		1				Do.* Wash.
Parlatoria theae (Coccidae)	Acer tsumagaki Viburnum dilatatum		1				D. C. Calif.*
Parlatoria ziziphus (Coccidae) Pectinophora gossypiella (pink boll-	Citrus grandis (grapefruit) Gossypium sp. (cottonseed)		1			1	Calif.* D. C.
worm). Phenacaspis aucubae (Coccidae)			1		1		Wash.
Phyllobius sp.	Cupressus sp.					1	Do.
Phyllobius sp. Do. Poliaspis pini (Coccidae)	Aucuba sp					1	D ₀ . N. Y.
Porthetria dispar (gypsy moth)	Juniperus sp Citrus aurantifolia (lime)				1		Wash.

		Ντ	ımbe tic	r of i	ntere	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAPAN—Continued							
Insects—Continued. Pseudaonidia duplex (camphor scale) Do	Camellia japonica (camellia)	2				 1 1 1	Wash. Calif.* Do.* Do.* N. Y. Wash.
Do	do_ Citrus sinensis (orange)- -do- Citrus sinensis junos (Japanese orange).					2 1 1	Calif.* N. Y. Do.
Do	do Citrus sp. Magnolia salicifolia Shortia uniflora (Nippon-bells). Vitis sp. (grape). Camellia japonica (camellia).	1 1 1	1				Wash. N. Y. Wash. Do. Do.
Pseudaonidia paeoniae (Coccidae) Do. Do. Pseudococcus pini (Coccidae) Psychid Do. Do.	Camellia retigulata	i	 1				Calif.* Wash. Calif.* Do. Hawaii.*
rsychid Do	Camelia sp. Pinus sp. (pine) Juniperus sp. (dwarf juniper) Juniperus sp. (juniper) Juniperus sp. (juniper) Lilium sp. (lily) do Paeonia sp.	1					Pa. Wash. Do. N. Y. Wash. Do.
borer). Do Sipalus hypocrita (Curculionidae). Tortricid Do	Phaseolus sp. (string bean) Pinus sp. (pine) Chrysanthemum sp. do					2	Do. Calif.* Do.* Wash.
Do Do	Citrus nobilis deliciosa (Mandarin orange). Euonymus radicans (wintercreeper). Paeonia sp			1			Do. Do. Calif.*
Do	Sciadopitya sp		<u>i</u> -		1		Wash. Do.
Aphelenchoides parietinus Do	darin orange). Colocasia esculenta (taro) do Lilium sp. (lily) Pyrus sp	<u>-</u> -				1 1	La. Pa. Do.
Colletotrichum camelliae Colletotrichum orchidearum Coryneum microsticides. Culindrosporium camelliae Discosia artocreas	Camellia sasanqua Angraecum falcatum Paeonia moutan	1	1	2			D. C. Calif.* Do.* Do.* Do.* Do.*
Discosia artioreus Do Erysiphe polygoni Gymnos porangium haracanum Gymnos porangium japonicum Heterodera marioni	Phaseolus sp. (string bean) Juniperus sp. (juniper)				1	1	Wash. Do. Do. Do.
Do	Echinocactus ingens (cactus) Freesia armstrongii (freesia) Freesia refracta chapmani Gymnocalcium denudatum (cactus). Gymnocalcium platensis (cac-	1 2	1				D. C. Calif.* Do.* Do.*
Do	tus). Mammillaria bombycina (caetus). Thalictrum sp		. 1				Do.* Do.*
Do. Leptosphaeria iwamotoi Meliola penzigi Do	Oryza sativa (rice) Citrus nobilis deliciosa (Mandarin orange). Citrus sinensis (orange)	<u>ī</u>	1				N. Y. Wash.

		Nυ		r of i	ntero	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAPAN—Continued							
Diseases—Continued. Mycosphaerella schoenoprasi Do Do Do Pestalozzia neglecta Pezizella luthri Do Phoma tenuis Phomopsis mali Pleospora ephedrae Puccinia shiraiana Sclerotiopsis testudinea Do Sphaerella ephedrae Siemphylium citri	Allium flstulosum (Welsh onicn). Allium porrum (leek)	1 1 1 1 4	1 2 1	1	1	4 2 2 4 1	Pa. Md. N. Y. Pa. Wash. Do. Calif.* Wash. N. Y. Do. Calif.* Wash. N. Y. Wash. N. Y. Wash.
Insects: Coccotrypes integer (Scolytidae) Parlatoria pseudaspidiotus (Coccidae). Parlatoria ziziphus (Coccidae)	Licuala sp. Vanda sp. (orchid) Citrus nobilis deliciosa (tan-						D. C. Do. Mass.
Diseases:	gerine).						
Bacterium citri	Citrus aurantifolia (lime)					. 1	Do.
KENYA Insects: Specularius erythrinae (Bruchidae)	Erythrina sp		1	1			Md.
MADEIRA ISLANDS Insects: Chrysomphalus dictyospermi var. (Coccidae). Coccus viridis (Coccidae). Pseudococcus boninsis (Coccidae). MALAYA (British) Insects: Dinoderus bifoveolatus (Bostrichidae). Minthea rugicollis (Lyctidae).	Citrus sp	3		1 1 1			
MANCHURIA Insects: Chilo simpler (Asiatic rice borer)	Oryza sativa (rice)	1					Md.
Do	Astragalus mollissimus (loco weed). Brassica rapa (turnip) Daucus carota (carrot) Lycopersicum esculentum (tomato) do Antirrhinum majus (snapdragan) Chrysanthemum parthenium (feverfew).	1 1 1 1 1 1		1 1 1 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Do. Do. Do. Do. Do. Ariz. Tex. Ariz. Tex.
	Lycopersicum esculentum (to-						Do.
Alpheias sp. (Galleriidae)	Ananas sativus (pineapple)	6 21		1			La. Tex.

		Nu		r of i	ntere	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico—Continued							
Insects—Continued. Amorbia emigratella (Tortricidae). Do. Anaphothrips orchidaceus (thrips). Do. Anasa tenebricosa (Coreidae). Anastrepha distincta (Trypetidae).	Chrysanthemum sp_ Holcus sorghum (sorghum) Lactia sp. (orchid) Orchid Lactia sp. (orchid) Inga sp	7	1 1	1 1 			Tex. Do. Calif.* Tex. Calif.* Ariz.
Anastrepha fraterculus (Trypeti- dae). Anastrepha ludens (Mexican fruit-	Amygdalus persica (peach) Citrus aurantium (sour orange)			8			Tex.
fly). Do. Do. Do. Do.	Citrus grandis (grapefruit) Citrus limetta (sweet lime) Citrus limonia ponderosa (ponderosa lemon).			5 3 1			Do. Do. Do.
Do	Citrus nobilis deliciosa (tanger- ine). Citrus sinensis (orange)			1			Do Ariz.
Do.	do do do Cydonia oblonga (quince) Malus sylvestris (apple) Manajfera indica (mango) do Manqifera indica (mango) (in railway car) (2 intercep-			217			Fla.* La. Tex. Do. Do. Ariz. Tex. Do.
Do	tions). Persea americana (avocado) Punica granatum (pomegranate).			4 3			Do. Do.
Do	Pyrus communis (pear)			4 1			Do. Do.
(Trypetidae). Anastrepha serpertina (dark fruitfly). Do	Mammea americana (mamey)			4			Do.
Do. Anastrepha striata (Trypetidae) Anastrepha sp. (Trypetidae) Do. Do. Do. Do. Do. Do. Do. Do	Sapote Psidium guajava (guava) Amygdalus persica (peach) Citrus sinensis (orange) Cydonia oblonga (quince) Ficus carica (fig) Mammea americana (mamey) Mangifera indica (mango) (in railway car) (2 intercep-			2 1 2 6 7 1 1 1		1	Do. Ariz. Tex. Do. Do. Do. La. Tex. Do.
Do Do	tions). Prunus domestica (plum) Psidium guajara (guava) Punica granatum (pomegranate)			1 7 1			Do. Do. Do.
Do	Pyrus communis (pear) Sapote Cephalocereus sp. (cactus)			5 3			Do. Do. Calif.*
Anthonomus mexicanus (Curculionidae). Aphetea inconspicua (Membraci-	Chrysanthemum sp		2	1			Tex.
dae). Aspidiotus diffinis (Coccidae) Do	Cercidium floridium Citrus limonia ponderosa (pon-			1 2			Tex.
Asterolecanium aureum (Coccidae)	derosa lemon). Laelia albida sulphurea (orchid).	1					D. C.
Autographa sp. (Noctuidae) Do	Beta vulgaris (beet) Brassica oleracea botrytis (cauliflower).	1		1			Tex. Do.
Do	Brassica oleracea capitata (cab- bage).			4			Do.
Do Do	Brassica rapa (turnip) Brassica sp. (mustard)	2 14					Do. Do.

		N		er of ions i		cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico-Continued							
Insects—Continued, Autographa sp. (Noctuidae) Do. Do. Do. Blastobasis sp. (Blastobasidae) Do. Calligrapha aeneopicta (Chrysomelidae). Calligrapha diversa (Chrysomelidae). Calligrapha notatipennis (Chrysomelidae). Calligrapha pantherina (Chrysomelidae). Calligrapha pantherina (Chrysomelidae). Calligrapha spantherina (Chrysomelidae). Calymmaderus oblongus (Anobildae). Capaneus odiosus (Coreidae) Carneocephala sagittifera (Cicadellidae). Chilo sp. (Crambidae) Chirothrips falsus (thrips) Cholus nigromaculatus (Curculionidae). Chrysomphalus dictyospermi var. (Coccidae). Chrysomphalus nigropunctatus (Coccidae). Chrysomphalus personatus (Coccidae). Chrysomphalus personatus (Coccidae). Chrysomphalus personatus (Coccidae). Choccidae). Cocotrachelus aguacatae (Curculionidae).	Inty). Padicula nasturtium-aquaticum (watercress). Paphanus sativus (radish). Tagetes sp. (marigold). Ananas sativus (pineapple)do. Ounica granatum (pomegranate). Orchiddododododododo	1 1 1 9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2	1		Do. Do. Do. La. Tex. Do. D. C. Calif.* Tex. Calif.* Tex. Calif.* Tex. Tex. Tex. Calif.* Tex. Tex. Tex. D. C. Hawaii.* Tex. D. C. Pa. Do.
Onicae). Conotrachelus leucophaeatus (Curculionidae). Conotrachelus sp. (Curculionidae)	Herb						Do. Ariz. Tex. Do. Ariz. Tex. Do.
idae). Crocidosema plebeiana (Olethreutidae).	Hibiscus esculentus (okra)	1					Do.
Crophius costaius (Lygaeidae)	Laelia sp. (orchid) Lycopersicum esculentum (to- mato). Orchid Solanum melongena (eggplant) Ipomoea batatas (sweetpotato)						
weevil). Do. Cullene antennatus (Cerambycidae). Diabrotica lepida (Chrysomelidae). Diabrotica theime (Chrysomelidae). Diabrotica theime (Chrysomelidae). Do. Do. Do. Diaspis radicicola (Coccidae). Edessa cornuta (Pentatomidae). Empoasca abrupta (Cicadellidae) Empoasca solana (Cicadellidae)	Ipomoea sp. Prosopis sp. (mesquite) Ananas sativus (pineapple) Capsicum annuum (pepper) Cucumis melo (canteloupe) Cucurbita maxima (squash) Cucurbita pepo (pumpkin) Cactus Orchid Lactuca sativa (lettuce)	2 1 3 1 20 5		7 1 1 1 1			Do. Do. Ariz. Tex. Do. Do. Ariz. Tex. Do. Do. Ariz. Tex. Do.

		Nu	mber tio	of i		ep-	
Country of origin and name of pest	Host		Mail	Baggage	Quarters	Stores	Collected in—
Mexico—Continued							
Insects—Continued. Epicaerus cognatus (Curculionidae).	Solanum tuberosum (potato)			9			Tex.
Epilachna varivestis (Mexican bean beetle). Do	Beta vulgaris cicla (Swiss chard)			1			Do. Ariz.
Do Epinotia opposita (Olethreutidae)	Phaseolus sp. (string bean)————————————————————————————————————	2		1			Tex. Do.
Do	Phaseolus sp. (string bean)	1		2 9			Ariz. Tex.
Epochra sp. (Trypetidae)	do Ribes sp. (currant) Daisy			1			Do. Do.
Eudiagogus pulcher (Curculionidae) - Euschistus obscurus (Pentatomidae).	Prosopis sp. (mesquite)	1		2			Do. Do.
Frankliniella cephalica (thrips)	Daisy Polianthes tuberosa (tuberose) Posa sp	1		1			Do. Do.
Frankliniella difficilis (thrips)	de			1	1		Do. Fla.* Tex.
Frankliniella fortissima (thrips)	Antirrhinum majus (snap- dragon). Dianthus sp. (carnation)						Do.
Do	Lilium longiflorum (Easter lily). Lilium sp. (lily)						Do.
Do Frankliniella williamsi (thrips)	Rosa sp Brassica oleracea botrytis (cauli-			7			Do. Do.
Do	flower). Lactuca sativa (lettuce)			2			Do.
DoFurcaspis biformis (Coccidae) Do	Lactuca sativa (lettuce) Zea mays (corn) Chamaedorea elegans (palm) Cystopleris sp. Colletia sp. Fragaria sp. (strawberry)		1	30			Do. Do.
Galerucella sp. (Chrysomelidae)	Colletia sp. (strawberry)			3			Tex. Do.
Do	(material adstantiam-aquaticam			1			Do.
Gerstaeckeria mutillaria (Curculionidae).	Ribes sp. (currant) Mammillaria setosa (cactus)						Calif.*
Gnorimoschema gudmanella (Gele- chiidae). Do	Capsicum annuum (pepper)_:_	8					Ariz.
Do	Lycopersicum esculentum (to- mato).	6					Ariz.
Graphocephala sp. (Cicadellidae) Grapholitha sp. (Olethreutidae)	Gardenia florida (Cape-jas- mine). Arctostaphylos sp. (manzanita)			1			Tex.
Do	Cydonia oblonga (quince) Malus sylvestris (apple) Pyrus communis (pear)			3			Do. Do.
Do	Pyrus communis (pear)			1			Do.
Gymnococcus agavium (Coccidae) Haplothrips gowdeyi (thrips)							
Do Hypsipyla grandella (Phycitidae)	Gladiolus sp Orchid Cedrela sp	1					Do. N. Y.
Keiferia lycopersicella (tomato pin- worm).	Lucopersicum esculentum (to- mato).	1314		529			Ariz.
Do	dodo	72		571			Calif.*
Laemopholeus suturalis (Cucujidae) Laspeyresia membrosa (Olethreu-	Log _ Prosopis sp. (mesquite)	1		3			Do.
tidae). Lepidosaphes philococcus (Coccidae) - Do	Cactus		1	1			Do. D. C.
Do	(cactus) Murtillocactus geometrizans (cactus).	1					Tex.
Lichtensia lutea (Coccidae)	Codiaeum sp. (croton)			4			Do.
Licyrocoris aurivilliana (Lygaeidae) Do Do Do	Fragaria sp. (strawberry)	2		1			Do.
Lithophorus ornatus (Colydiidae)	Prosopis sp. (mesquite)	5		3			Do.
Lygus championi (Miridae) Lygus cristatus (Miridae)				1 1			Do.

List, by countries of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nı		er of i	inter n—	cep	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collecte in—
Mexico-Continued							
nsects—Continued.							
Macrosiphum luteum (aphid) Do	Catasetum sp. (orchid) Laelia autumnalis albiflora (orchid),	1					Calif.* Do.*
Do	Orchid	1					Do.*
Do	00	1					D. C.
Do	Cactus	3					Tex.
Do	Capsicum annuum (pepper)	13					Do. Ariz.
Do	Persea americana (avocado)	12		555			Tex.
Do	Phaseolus lunatus macrocarpus	3					Ariz.
_	(lima bean).					1	
Do.	do	10					Tex.
Metamasius sericeus (silky cane weevil).	Banana debris	10					Do.
Metamasius sericeus carbonarius (Curculionidae).	do	2					Do.
Do.	Musa sp. (banana)	1					La.
Micrapate scapularis (Bostrichidae) _ Monathia monotropidia (Tingitidae)	Unidentified wood Orchid						Ariz. Tex.
Moodna hisinuella (Phycitidae)	Zea mays (corn)			7			Do.
Moodna bisinuella (Phycitidae) Mordellistena sp. (Mordellidae)	Zea mays (corn) Beta vulgaris cicla (Swiss chard).			1			Do.
Do	Laelia sp. (orchid)		2				Calif.*
Do Mcrmidea cubrosa (Pentatomidae)	Laelia sp. (orchid) Oncidium sp. (orchid) Orchid		1				Do.*
Do	do		1	1			Ariz. Calif.*
Myelois sp. (Phycitidae)	Citrus sinensis (orange)			2			Tex.
Naucles pusio (Mordellidae)	Chrysanthemum sp			1			Do.
Neocattarus vegetus (Lygaeidae)	Orchid Prosopis sp. (mesquite) Brassica oleracea capitata (cab-			1			Do.
Neuroctenus litigiosus (Aradidae)	Prosopis sp. (mesquite)	1		2			Do.
Nysius monticola (Lygaeidae)	bage).			2			Do.
Oedionychis biarcuata (Chrysomelidae).	Gardenia florida (Cape-jas- mine),						Do.
Ofatulena duodecemstriata (Ole-	Prosopis sp. (mesquite)			3			Do.
threutidae).	4						C-1:c
Olethreutid	Amygdalus persica (peach)			1			Calif. Ariz.
Do	Cratagaus sp. (tejocote)	9		1			Tex.
Do	Crataegus sp. (thorn apple)			1			Do.
Do	Echeveria sp	1					Do.
Do	Hibiscus esculentus (okra)			1			Do.
Do				1			Ariz.
Do	mato). Passiflora sp. (granadilla)			2			Tex.
Do	Pithecellobium sp. Prosopis sp. (mesquite) Tagetes florida (marigold)			1			Do.
Do	Prosopis sp. (mesquite)			2			Do.
Do	Tagetes florida (marigold)			1			Do.
Oplomus mundus (Pentatomidae)	Oremu			1			Do. Do.
Opeius stactogalus (Cicadellidae)	Lactuca satira (lettuce)			1			Do.
Oplomus pulcher (Pentatomidae) Opsius stactogalus (Cicadellidae) Orthezia praelonga (Coccidae) Parlatoria cinerea (Coccidae)	Juglans sp. (walnut) Citrus aurantifolia (lime) Gossypium sp. (cotton) (lint)			1			Ariz.
Parlatoria cinerea (Coccidae)	Citrus aurantifolia (lime)	1					Calif.*
Pecunophora gossypiena (pink bon-	Gossypium sp. (cotton) (lint)			1			Tex.
worm.)	Gossypium sp. (cottonseed)			1			Do.
Do Do	Gossupium sp. (cottonseed) (in			1			Do.
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Gossypium sp. (cottonseed) (in railway car) (2 interceptions). Gossypium sp. (seed cotton) Dry medicinal herb.						
Do	Gossypium sp. (seed cotton)			2			Do.
Pelonomus obscurus (Dryopidae)	Dry medicinal herb			1			Do.
Phaloniid	Capsicam annaam (pepper)	9		1			Ariz.
Physonota eucalypta (Chrysomelidae). Physonota mexicana (Chrysomeli-	Stanhopea sp. (orchid) Laelia sp. (orchid)	1					Calif.* Do.*
dae).		-					20.
Physorrhinus frontalis (Elateridae) Placosternus difficilis (Ceramby-	Brassica rapa (turnip) Prosopis sp. (mesquite)	1 4		<u>-</u> -			Tex. Do.
cidae). Plagiodera flosculosa (Chrysomeli-	Orchid	1					Calif.*
radioaera noscatosa (Chrysomell-	Orchid	1					Cam.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Νt	ımbe tic	r of i	ntero	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico—Continued							
Insects—Continued. Platynota stuttana (Tortricidae) Do	Capsicum annuum (pepper) Lycopersicum esculentum (to- mato).	96 4		3			Ariz. Do.
Do	Phaseolus lunatus macrocarpus	1					Do.
Platypus rugulosus (Platypodidae)	(lima bean). Tabebuia donnell-smithii (primavera).	1					N. Y.
Pseudoonidia tesserata (Coccidae) Pseudococcus boninsis (Coccidae)	Pedilanthus palmeri Saccharum officinarum (sugar-		1	2			Calif.* Tex.
Psychid	cane). Ananas sativus (pineapple)	5					Do.
Do	Gardenia florida (Cape-jasmine) Chrysanthemum sp			$\frac{1}{3}$			Do. Do.
Do	Citrus maxima (shaddock) Gossypium sp. (cotton) (boll)			1			Do. Do.
Do	Herb	3		32			Do. Do.
D0	Medicinal weed Tagetes florida (marigold)	1					Do.
Puto mexicanus (Coccidae)	Laelia anceps (orchid)	1 1		26			Do. Calif.*
Do	Laelia sp. (orchid)	1					Do.*
Do	Odonteglossum citrosmum (or- chid).	1					Do.*
Do	Odontoglossum sp. (orchid)	1					Do.*
Do	Oncidium sp. (orchid)	1					Do.*
D0	Stanhopea sp. (orchid)	3 2					Do.* Do.*
Rhagoletis pomonella (apple mag-	Malus sylvestris (apple)			2			Tex.
got). Rhagoletis sp. (Trypetidae) Do	Crataegus sp. (haw) Juglans nigra (black walnut)			1			Do.
Do	Cephalocereus senilis (old-man			1			Tex.
Stenoma catenifer (avocado seed	cactus). Persea americana (avocado)	1					Do.
moth).	, ,			9			Do.
Taeniothrips simplex (gladiolus thrips).	Rosa sp	3		7			Do. Do.
Temnochila metallica (Ostomidae)	Log	1		1			Do. Do.
Thecla sp. (Lycaenidae)	Ananas sativus (pineapple)	1					La.
Do Tineid	do -	7					Tex.
Tortricid	Capsicum annuum (pepper)	18		1			Do. Ariz.
Do	do	1					Tex.
D ₀	Gardenia florida (Cape-jasmine) Lycopersicum esculentum (to- mato).	1					Do. Ariz.
Do	do	1		1	1		Tex.
Trachytalis isabellina (Membraci-	Orchid		1				Calif.*
Trialeurodes varia (whitefly) Trichopepla californica (Pentatomi-	Pelargonium sp. (geranium) Laelia sp. (orchid)	<u>-</u> -		1			Ariz. Calif.*
dae). Trypetid	Citrus sinensis (orange)			1			Tex.
Do(Coolytidae)	Medicinal herb			1			Do.
Xyleborus propinquus (Scolytidae) _ Do	Ananas sativus (pineapple) Tabebuia donnell- smithii (pri- mayera).	1					Do. N. Y.
Zabrotes subfasciatus (Bruchidae)	Bean	1					Ariz.
Do Diseases:	do			22			Tex.
Alternaria violae	Viola sp. (violet) Capsicum annuum (pepper)			1			Do.
Aplanobacter michiganense Do	Lycopersicum esculentum (to- mato).	2		83			Do. Do.
Botrytis squamosa	Allium cepa (onion)			1			Do.
Ceratostomella fimbriata Cercospora atricincta	Ipomoea batatas (sweetpotato). Zinnia sp			1 2			Do.
Clasterosporium diffusum	Hicoria pecan (pecan)			2			Do. Do.
Colletotrichumgossypii	Gossypium sp. (cotton) (boll)			ĩ			Do.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu	ımbe t	r of i	ntero	eep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico—Continued							
Diseases—Continued.							
Colletotrichum orchidearum Do	Stanhopea bucephalus (orchid)_Stanhopea sp. (orchid)	1	1				Calif.* Do.*
Colletotrichum phomoides Do	Capsicum annuum (pepper) Lycopersicum esculentum (to- mato).			1 3			Tex. Do.
Do	Physalis sp. (husk tomato)			1			Do.
Conicthyrium pyrinum Cylindrosporium chrysanthemi	Malus sylvestris (apple)					1	Do.
Cylindrosporium carysaunemi Cylindrosporium juglandis	Chrysanthemum sp Juglans sp. (walnut)			10			Do. Do.
Epicoccum granulatum	Stanhopea bucephalus (orchid)		1	1			Calif.*
Erysiphe cichoracearum Erysiphe polygoni	Cucurbita pepo (pumpkin)			1			Tex.
Erysiphe polygoni	Cucurbita pepo (pumpkin) Phaseolus sp. (string bean)			2			Do.
DoGloeosporium leguminum	Pisum sativum (English pea)			4 2			Do.
Gloeosporium stanhopeae	Prosopis sp. (mesquite) Stanhopea bucephalus (orchid)		1				Do. Calif.*
Glomerella cincta	Orchid.		1				D. C.
Glomerella cincta Helminthosporium tomato	Lycopersicum esculentum (to-			1			Tex.
Heterodeта marioni	mato). Astrophytum myriostigma po-		1				Calif.*
Do	tosina. Echeveria agavoides	1	1				Do.*
Do	Echeveria potosina Echeveria secunda		1				D- *
Do	Echeveria secunda	1	1				D ₀ .* D ₀ .*
Do	Echinocactus tamanlipense (cac-	1					Do.*
Do	tus). Echinocactus tetragona						Do.*
Do	Pachyphytum virense						Do.*
Macrosporium commune	Allium cepa (onion)			2			Tex.
Melampsora abieti-capraearum	Salix sp. (willow)			1			Do.
Peronospora parasitica Pestalozzia conspicua	Brassica sp. (mustard)			1			Do. Calif.*
Phleospora multimaculans	Stanhopea bucephalus (orchid) Juglans regia (English walnut)		1	3			Tex.
Do	Judianesh (gealput)			7			Do.
Phyllachora acaciae	Acacia farnesiana (huisache) Paspalum plicatum (grass) Stanhopea sp. (orchid)			1			Do.
Physical organization of the state of the st	Stanhonea sp. (orohid)	2					Mass. Calif.*
Physalospora camptospora Physalospora orchidearum	Epidendrum sp. (orchid)		1				Do.*
D0	Oncidium sp. (orchid)		1				Do.*
Do	Oncidium sp. (orchid) Stanhopea bucephalus (orchid) _		1				Do.*
Do Phytophthora capsici	Stanhopea sp. (orchid)	1	3				Do.*
Fнуюринога саряси	Capsicum annuum (green pep- per).	1					Aliz.
Phytophthora mexicana	Lycopersicum esculentum (to- mato).	15					Do.
Phytophthora phaseoli	Phaseolus sp. (string bean)			2			Do.
Phytophthora terrestris	Lycopersicum esculentum	8					Do.
Do	Solanum melongena (eggplant)	2					Do.
Pratylenchus pratensis Puccinia chloridis	Solanum tuberosum (potato)	1		1			Tex. N. Y. Do.
Puccinia levis	Chloris virgata Manisuris rugosa			1			Do.
Puccinia purpurea	Holcus halepensis (Johnson) grass).			2			Tex.
Puccinia tageticola	Tagetes floridana (marigold)			1			Do.
Ravenelia arizonica	Prosopis sp. (mesquite)	1					Do. Do.
Rhytisma erythrosporum Septoria betae	Quercus sp. (oak) Beta vulgaris cicla (Swiss chard)	1					Do. Do.
Spotted wilt	Lycopersicum esculentum (to-	17					Ariz.
Thielariopsis basicola	mato). Ipomoea batatas (sweetpotato)_		1	1			Tex.
Trematosphaeria cactorum	Echinocactus mathesonii (cactus)		1	1			Calif.*
Uredo oncidii	Oncidium cavendishianum (or-	4					Do.*
Virus (mosaic)	chid). Capsicum annuum (pepper)	29					Ariz.
Do	Cucurbita maxima (squash)			1			Tex.
MONTSERRAT							
Rhina scrutator (Curculionidae)	Herb		1				Mass.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu	mbe tic	r of i	inter i—	cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collecte in—
Morocco							
Insects:	Museari semesum (sipelline)	3					N. Y.
Bouhelia maroccana (Coccidae) Exosoma lusitanica (Chrysomeli-	do	58					Do.
dae). Merodon sp. (Syrphidae)	do	4					Do.
		1					
Olseases: Aphelenchus avenae Uromyces fabae Ustilago vaillantii	Vicia faba (fava bean)					1	Do.
Ustilago vaillantii	Muscari comosum	16					Do.
NETHERLANDS			-				
nsects:	Sinningia sp		1				D. C.
Agriotes sp. (Elateridae) Amphorophora azaleae (aphid) Aspidiotus zonatus (Coccidae) Athous sp. (Elateridae) Brachyrhinus sp. (Curcullonidae) Bruchus affinis (Bruchidae) Bruchus brachialis (vetch bruchid)	Azalea sp. Quercus robur (English oak)	2					Do.
Aspidiotus zonatus (Coccidae)	Quercus robur (English oak)		1				Do.
Brachyrhinus sp. (Curculionidae)	quercus room (English oak) Hosta subcordala Astilbe sp Lathyrus odoratus (sweet pea) Vicia sp. (vetch) Lathyrus odoratus Vicia sativa (vetch) Pueraria thunbergiana (kudzu)	1					Do.
Bruchus affinis (Bruchidae)	Lathyrus odoratus (sweet pea)_	1					Ill.
Bruchus tristiculus (Bruchidae)	Lathurus odoratus	1					N. Y. Pa.
Do	Vicia sativa (vetch)	î					N. Y.
Callosobruchus ademptus (Bruchi-dae).							D. C.
Do	Pueraria sp. Brassica campestris (rutabaga)	1					Ill.
Do	Pueraria sp		2				Do.
Ceutorhynchus pleurostigma (tur- nip gall weevil).			1				N. Y.
Do	Brassica rapa (turnip)					1	Pa.
Do Do	Brassica rapa (turnip)					4 2	La. Md.
Do	do					ĩ	N. Y.
DoEmphytus cinctus (sawfly)	do do Rosa chinensis manetti Hyacinthus sp Narcissus sp do					1	S. C. N. Y.
Eumerus sp. (Syrphidae)	Hyacinthus SD	1					Va.
Do	Narcissus sp	1					Calif.*
Do	do	$\frac{1}{2}$					Oreg. Pa.
Forficula auricularia (European earwig). Do	Colchicum sp. (autumn-erocus)_	ī 1					D. C.
Kakothrips robustus (thrips)	Narcissus sp Pisum sativum (pea)	1				2	Do. N. Y.
Liothrips vaneeckei (thrips)	Lilium martagon (martagon	1					Do.
Merodon sp. (Syrphidae)	lily). Leucojum sp. (snowflake)	1	1				Do.
Do	Narcissus sp	1					Calif.*
Do	do	2					Mass. Oreg.
Do	do	3					Pa.
Myzus ornatus (aphid)	Anthemis sancta johannis	1				1	D. C. Do.
Psylliodes chrysocephala (Chryso-	Helleborus sp_ Brassica rapa (turnip)					1	La.
melidae). Scolytus multistriatus (Scolytidae).							N. Y.
Stephanoderes hampei (coffee berry	Ulmus sp. (elm) Coffea sp. (coffee)		1				Minn.
borer).							D.C.
Trionymus peregrinus (Coccidae)	Haemanthus albiflos (white bloodlily).		1		~-~-		D. C.
Diseases:							_
Albugo candida	Lunaria sp. (honesty) Convallaria majalis (lily-of-the-	1					Pa. N. Y.
Aphelenchoides fragariae	Iris alata	1					Do.
Do	Iris atata	1	1				D. C. Do.
Aphelenchoides parietinus	Convallaria majalis	1					N.Y.
Do	Pahlia sp	1	1				D. C. N. Y.
	imperial).						
Do	Galanthus sp. (snowdrop) Helenium sp. (sneezeweed)	1					Do. C.
Do	Hyacinthus sp	1					N. Y.
Do	Lilium tenuifolium (coral lily)_	1					Do.
Do			1			1	D. C.

		Nı	ımbe tio	er of i	inter n—	cep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
NETHERLANDS—Continued							
Diseases—Continued.	Chianadana Insila	,		ŀ			37 37
Aphelenchus avenae Do	Chionodoxa lucilea	1 2					N. Y. Do.
Do	Lilium tenuifolium	1					Do.
Do Blennoria buxi	Scilla sibirica (Siberian squill) _ Buxus sempervirens (box)	1					Do. Calif.*
Botrytis galanthina	Galanthus sp. (snowdrop)	2					Md.
Do	do	2					Mass.
Do		1					Mich.
Do	do	40					N. Y. Pa.
Do	do	1					Va.
Ditylenchus dipsaci	Chionodoxa gigantea alba		1				D. C.
D_0	Chionodoxa luciliae (glory-of- the-snow).	4					D. C. N. Y.
Do	Colchicum autumnale major	1					D. C.
Do	Colchicum sp Convallaria majalis (lily-of-the-	1					Do. N. Y.
	valley).	-					-111 -11
Do	valley). Hyacinthus sp	1					Pa.
Do	Iris anglica (English iris)	7					D. C. Calif.*
Do	Iris spdo	6 57	2				Cant.
Do	Muscari azureum	1					D. C. N. Y.
Do	Muscari botruoides alba	1					Do.
Do	Muscari botryoides (grape hyacinth).	2					Do.
D ₀	Scilla sibirica (Siberian squill)	3					Do.
Do Exobasidium oxycocci	Tigridia sp	1	1				D. C.
Exobasidium vaccinii	do	1		1			Do. N. Y.
Heterodera marioni	Acer crataegifolium (hawthorn maple).	1					D. C.
Macrophoma candollei	Buxus sempervirens (box)do	1					Calif.* N. Y.
Mycosphaerella schoenoprasi	Allium porrum (leek)					1	Do.
Penicillium cyclopium	Colchicum sp. (autumn-crocus)	1					Do.
Penicillium hirsutum	do	1					Do.
Pestalozzia rhododendri	Rhododendron sp	1					D. C.
Phoma stictica Phyllosticta auerswaldii	Buxus sp	1 2					Calif.* Do.*
Physicia anerswatan	Malus sylvestris (apple)	1					Ill.
Pratylenchus pratensis	Convallaria majalis (lily-of-the-valley).	3					N. Y.
Sclerotinia cinerea	Malus sylvestris (apple)	1					Do.
D0	Prunus domestica (plum)	:-		1			Do.
Sclerotium semen Septoria azaleae	Iris anglica (English iris) Azalea sp	6					D. C. Do.
Se ptoria gladioli	Gladiolus sp.	1					Wash.
Septoria lactucae	Lactuca sativa longifolia (Romaine lettuce).					1	N. Y.
Septoria ornithogalli allii	Allium porrum (leek)					1	Do.
Urocystis colchici	Colchicum autumnale major	1					D.C.
Do Verticillium albo-atrum	Colchicum sp	3					Do.
Volutella buxi	Buxus sp	1					Do. Calif.*
NEWFOUNDLAND							
Argyrotaenia sp. (Tortricidae)	Vaccinium sp. (blueberry)	1					N. Y.
Megastigmus sp. (Callimomidae) Olethreutid	Vaccinium vitis-idaea (lingon-	1					Do. Ill.
Do	berry).	1					Mass.
Do	Vaccinium sp. (blueberry)	1					Ill.
NEW ZEALAND							
nsects: Ptinus tectus (Ptinidae)	Beilschmiedia sp		1				Calif.*
	Phormium tenar (Now Zooland)						
Trionymus diminutus (Coccidae)	Phormium tenax (New Zealand flax).	1					N. Y.

			mbe tic				
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Nicaragua				П			
Insects: Boroxylon burgdorfi (Scolytidae)	Swietenia mahogani (mahog-	1					La.
Conchaspis angraeci (Coccidae) Neoclytus cacicus (Cerambycidae)	any). Orchid Guaiacum officinale (lignum-	<u>-</u> -	1				Calif.* Do.*
Pseudaonidia tesserata (Coccidae) Xyleborus confusus (Scolytidae)	vitae). Orchid	1	1				D ₀ .* N. Y.
NIGERIA	(guanacaste).						
Insects: Forficula senegalensis (earwig)	Unknown bulb		1				Ill.
North Africa Diseases: Rhizoctonia bataticola	Ipomoea batatas (sweetpotato)		1				D. C.
Norway							
Adelges strobilobius (Phylloxeridae) Taeniothrips ericae (thrips)	Picea sp. (spruce) Calluna vulgaris (heather)		1	1			N. Y. Wash.
Pratylenchus pratensis Septoria hepaticae	Daucus carota (carrot) Hepatica triloba			<u>1</u>		1	Tex. N. Y.
Nova Scotia Diseases:							
Phaeocryptopus nudus	Abies balsamea			1			Mass.
PALESTINE insects: Ceratitis capitata (Mediterranean fruitfly).	On paper wrapper around grapefruit.					1	N. Y.
PANAMA							
nsects: Anastrepha sp. (Trypetidae)	Mangifera indica (mango)			1			Calif.*
De	Tabebuia donnell-smithii (pri-	1		3			N. Y. Do.
Coccus viridis (Coccidae) Conotrachelus sp. (Curculionidae) Corcyra cephalonica (rice moth)	mavera). Cattleya sp. (orchid) Palm seed Conveying ap (cottopgood)	1	 1				Calif.* Do.*
Do Furcaspis biformis (Coccidae)	Gossypium sp. (cottonseed) do Epidendrum atropurpureum	 1	1				La. N. Y. Calif.*
Metamasius sericeus (silky cane	(orchid). Banana debris	1					La.
weevil). Do Mirotermes panamensis (termite)	Musa sp. (banana) Swietenia mahogani (mahog-	1					Calif.* La.
Mordellistena sp. (Mordellidae) Nasutiiermes ephrotae (termite)	any). Orchid	₁ -	1				Calif.* N. Y. Do.
Targionia hartii (Coccidae) Toxotrypana curvicauda (papaya fruitfly).	Dioscorea sp. (yam) Carica papaya (papaya)			1		1	La.
Vinsonia stellifera (Coccidae)	Epidendrum atropurpureum (orchid).	1					D. C.
Xyleborus confusus (Scolytidae) Paraguay	Tabebuia donnell-smithii (pri- mavera).	1					N. Y.
Diseases: Aphelenchoides parietinus	Orchid			1			Do.
Peru							
nsects: Anastrepha fraterculus (Trypetidae) Anastrepha sp. (Trypetidae) Aspidiotus diffinis (Coccidae) Aspidiotus spirasus (Coccidae)	Annona cherimola (cherimoya). Mangifera indica (mango) Philodendron sp. Mangifera indica (mango)		 1	1 1 1			Do. Do. D. C. N. Y.
Aspidiotus spinosus (Coccidae) Eucactophagus sp. (Curculionidae) Setomorpha insectella (Tineidae)	Mangifera indica (mango) Orchid	1		1 1			Calif.*

		Nu	mber tic	of ir		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Peru-Continued							-
Diseases: Aphelenchoides hunti	Zingiber spdo do Ipomoea batatas (sweetpotato)_		1 1	 1			Calif.* Do.* Do.*
PHILIPPINES Insects:							
Aonidiella comperei (Coccidae) Aonidiella inornata (Coccidae) Aonidiella orientalis (Coccidae) Do Aspidiotus destructor (Coccidae) Do Aspidiotus palmae (Coccidae) Bitoma parallela (Colydiidae) Blastobasid	Cocos nucifera (coconut) Mangifera indica (mango) Cocos nucifera (coconut) Mangifera indica Cocos nucifera Nephelium sp. (rambutan) Cocos nucifera Anisoptera thurifera (palosapis) Dioscorea sp. (yam)	1 1 1 1 1 1 1 1					Do.* Hawaii.* Do.* Do.* Do.* Do.* Guam. N. Y. Hawaii.*
Chilo simplex (Asiatic rice borer) Chrysomphalus rossi (Coccidae)	Oryza sativa (rice) Phalaenopsis schilleriana (orchid).	1	2			1	La. Calif.*
Do Do Coptosoma cincta (Pentatomidae) Der mestes peruvianus (Dermestidae) Dialeurodes decempuncta (whitefly). Dinoderus biforeolatus (Bostrichidae). Diocalandra stigmaticollis (Curculionidae).	Phataenopsis sp. (orchid) do Sophora tomentosa. Phataenopsis sp. Nephelium mutabile Derris sp. Cocos nucifera (coconut).		1 1				Do.* Wash. Mass. Calif.* Hawaii.* N. Y. Hawaii.*
Haplothrips melaleucus (thrips) Lepidosuphes tubulorum (Coccidae). Orchidophilus aterrimus (Curculionidae).	Renanthera monachica (orchid) Cocos nucifera Dendrobium superbum (orchid)	1	1 1				Do.* Calif.* Do.*
Do	Grammatophyllum multiflorum (orchid). Phalaenopsis schillerian a		1				Hawaii.* Calif.*
Do	(orchid). Phalaenopsis sp. (orchid) Rhynchostylis retusa (orchid)	1					Do.* Hawaii.*
Palaeopus costicollis (yam weevil) Parlatoria pseudas pidiotus (Coccidae) Do	Dioscorea sp. (yam)		2	11			Do.* Calif.* Hawaii.*
Parlatoria ziziphus (Coccidae) Pinnaspis townsendi (Coccidae)	Vanda sp. (orchid) Citrus limonia (lemon) Dendrobium victoria-regina (orchid).		2			1	D. C. Calif.* Hawaii.*
Do	Vànda tricolor (orchid)		1				D ₀ .*
Pseudaonidia trilobitiformis (Coccidae). Pseudococcus lilacinus (Coccidae)	Nephelium sp Aerides lawrenciae (orchid)	1	1				Hawaii.* Calif.*
Do D	Dendrobium aphrodite (orchid) Dendrobium schuetzei (orchid) Dendrobium superbum topazi-	1 1 1					Hawaii.* Do.* Do.*
Do	cum. Mangiera indica (mango). Phalaenopsis amabilis (orchid). Phataenopsis aphrodite (orchid). Vanda sanderiana (orchid). Derris Sp. Mangifera indica (mango)	1	1			 1	Do.* Calif.* Do.* Hawaii.* N. Y. Calif.*
weevil). Tadius erirhinoides (Curculionidae). Targionia hartii (Coccidae). Tineid.	Saccolabium sp	1		1			Hawaii.* Do.* Do.* Do.*
Do Diseases: Gloeosporium dendrobii	Dendrobium taurinum (orchid) Dendrobium aureum (orchid)						Calif.*

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu	mbe tie	r of i	ntere	eep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
POLAND							
Insects: Agriotes sp. (Elateridae)	Dianthus sp			1			N. Y.
Aphthona ovata (Chryso:nelidae)	Forest litter packing around shrubs.		1				D. C.
Bruchus rufipes (Bruchidae) Cassida nobilis (Chrysomelidae) Lecanium coryli (Coccidae)	Vicia sp. (vetch) Packing around fruit trees Amygdalus persica (peach)	1 1		1		-,	N. Y. D. C. Do.
Do	MCIUS SD		1				Do. Do.
Lema cyanella (Chrysomclidae)	Populus lindleyana Forest litter packing around shrubs.		1				Do.
Rhyparochromus chiragra (Lygaeidae). Diseases:	Packing around fruit trees	1					Do.
Ascochyta vodakii Ramularia tulasnei	Hepatica acutiloba Fragaria sp. (strawberry)	1		1			N. Y. Do.
PORTUGAL							
Insects: Ceratitis capitata (Mediterranean fruitfly).	Citrus sinensis (orange)			2	<u></u>		Do.
Chrysomphalus dictyospermi var. (Coccidae).	Hedera helix (English ivy)			1			Do.
Laspeyresia splendana (Olethreutidae).	Castanea sp. (chestnut)	2					Do.
Xylonites retusus (Bostrichidae)	Twig used as wrapping for waste.	1					Do.
Diseases: Aphelenchoides parietinus	Colocasia esculenta (dasheen)	1					Do.
Bacterium savastanci	Olea europaea (olive)			1			Do.
Botrytis allii Fabraea maculata	Cydonia oblonga (quince)			1			Do.
Fabraea maculata Gloeosporium helicis Ustilago vriesiana	Olea europaea (olive) Allium cepa (onion) Cydonia oblonga (quince) Hedera helix (English ivy) Eucalyptus sp			1			Do. Do.
PRINCE EDWARD ISLAND							
Insects:							
Ceutorhynchus punctiger (Curculionidae).	In package containing roses, ferns, and soil.		1				Mass.
PUERTO RICO Insects:							
Anastrepha mombinpraecptans (Trypetidae).	Mangifera indica (mango)			1	2		N.Y.
Do	Spondias mombin (yellow mombin).			1			Do.
Anastrepha suspensa (Trypetidae)	Citrus aurantium (bitter orange).			1			Do.
Do	Psidium guajava (guava) Mangifera indica (mango)			2			Pa. N. Y.
Aspidiotus herculeanus (Coccidae)_).	Spenaias momoin (Jobo)			1			100.
Asterolecanium miliaris (Coccidae) Bephrata cubensis (Eurytomidae)	Bamboo	1					Do.
Do	Annona muricata (soursop) Annona reticulata (custard- apple).			1			Do.
Coccus viridis (Coccidae) Euscepes postfasciatus (West Indian	Coffea sp. (coffee)			1 1	1		Do.
sweetpotato weevil). Frankliniella insularis (thrips)	Ipomoea batatas (sweeptotato). Cymbopogon citratus (lemon-	1		1			Do.
	grass). Gladiolus sp. Unknown leef						
Haplothrips gowdeyi (thrips) Lachnopus curvipes (Curculionidae). Ligyrus cuniculus (Scarabaeidae)	Saccharum officinarum (sugar-		1	 1	1		Do. Do. Do.
Maruca testulalis (East Indian bean	cane). Cajanus indicus (pigeon pea)			1			Do.
pod borer). Do	Phaseolus sp. (string bean) Soil around cactus plant			1		2	Ala. N. Y.
baeidae). Targionia bromeliae (Coccidae) Targionia hartii (Coccidae)	Ananas sativus (pineappale) Dioscorea sp. (yam)	1		1			Fla.* N. Y.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu	mbe tic	r of i	ntero	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
PUERTO RICO—Continued							-
Insects—Continued. Targionia sacchari (Coccidae) Do Tineid Diseases: Colletotrichum cajani Do Pestalozzia palmarum Phaeoseptoria oryzae Puccinia urbaniana St. Kitts	Capriola dactylon (Bermuda grass). Saccharum officinarum (sugarcane). do Apium graveolens (celery) Cajanus indicus (pigeon pea) Cicer arietinum (chickpea) Cocos nucifera (coconut) Oryza sativa (rice) Valerianodes sp			1		1	D. C. Fla.* N. Y. Tex. N. Y. Do. Do. Do. Do.
Insects: Dysdercus jamaicensis (Pyrrhocori-	Herb		1				Mass.
dae). Pectinophora gossypiella (pink boll-	Gossypium sp. (cottonseed)						III.
worm). Do	Gossupium barbadense (sea-		1				Mass.
Setomorpha insectella (Tineidae) Vinsonia stellifera (Coccidae) Do	island cotton). Rumez sp. (sorrel)		1 1 1				Do. Do. Do.
St. Lucia							
Anastrepha sp. (Trypetidae) Diaprepes abbreviatus doublieri (Curculionidae), Lepidosaphes lasianthi (Coccidae) Parlatoria crotonis (Coccidae) Targionia hartii (Coccidae) Diseases: Diseases:	Mangifera indica (mango) Herb Codiaeum sp. (croton) do Dioscorea sp. (yam) Citrus aurantifolia (lime)	1	 	 1	3		Do. Do. Do. Do. Do. Do.
Phomopsis cocoes	Cocos nucifera (coconut)					1	11. 1.
ST. THOMAS Diseases: Colletotrichum crotalariae	Crotalaria sp			1			Do.
Insects: Aganectesis indecora (Pyralididae)_ Pinnaspis minor strachani (Coccidae).	Cassia fistula (golden-shower) _ Solanum melongena (eggplant)			1		1	Mass. Do.
Diseases: Ceratostomella fimbriata Pratylenchus pratensis	Ipomoea batatas (sweetpotato) - Dioscorea sp. (yam)			<u>-</u> -		1	Do. Do.
SCOTLAND Insects: Apion pomonae (Curculionidae) Ceutorhynchus pleurostigma (turnip gall weevil). Frankliniella intonsa (thrips) Gelechia ericetella (Gelechiidae)	do		2				Ala. Pa. N. Y. Md. N. Y.
Do	do		5 1 2 1 48				D. C. Mass. Mich. N. Y.
Lecanium coryli (Coccidae) Micrelus ericae (Curculionidae) Do Do Olethreutid Peronea mixtana (Tortricidae) Rhinocola ericae (Psyllidae) Stygnocoris pedestris (Lygaeldae) Taeniothrips atratus (thrips) Do	do		1 1 1 1 1 17				Do. Do. D. C. Ill. D. C. N. Y.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nu		r of i	ntero	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
SCOTLAND—Continued							
Insects—Continued.	Calluna vulgaris		2 1 2 1 1 14 4 1 1 3 1 4				D. C. Md. Mass. Mich. Minn. N. Y. Pa. N. Y. Do. Do. Do.
Septoria gladioli	Giations Sp.		2				wasn.
Insects: Targionia hartii (Coccidae)	Dioscorea sp. (yam)				1		Pa.
SOCIETY ISLANDS Insects: Urophorus humeralis (Nitidulidae). SPAIN	Barringtonia speciosa		1				D. C.
Insects: Bruchus luteicornis (Bruchidae) Ceratitis capitata (Mediterranean fruitfly).	Vicia sp. (vetch) Citrus sinensis (orange)					<u>-</u> -	Md. Pa.
Limothrips angulicornis (thrips) Parlatoria ziziphus (Coccidae)	Cichorium intybus (witloof) Citrus sinensis					1	N. Y. Mass.
STRAITS SETTLEMENTS Aspidiotus destructor (Coccidae) Lepidosaphes lasianthi (Coccidae) Parlatoria pseudaspidiotus (Coccidae) Do. Do. Parlatoria ziziphus (Coccidae) Do. Prays citri (Philippine orange moth) Diseases: Bacterium citri Ditylenchus dipsaci Phoma citricarpa. SWEDEN Insects:	Palm Codiaeum sp. (croton) Vanda cooperi (orchid) Vanda teres (orchid) Vanda sp. (orchid) Citrus aurantifolia (lime) Citrus grandis (pomelo) do Citrus aurantifolia Allium satwum (garlic) Citrus sinensis (orange)		1 1 1 		1	1 1 1 1	Do. Do. Hawaii. ⁴ D. C. Do. Mass. Do. Do. Do. Do.
Insects: Bruchus brachialis (vetch bruchid) Bruchus loti (Bruchidae) Elasmostethus interstinctus (Pentatomidae). Lecanium coryli (Coccidae) Micrelus ericae (Curculionidae) Taeniothrips ericae (thrips) Thrips fiavus (thrips) Tortricid	Vicia sp. (vetch) Lathyrus roseus Abies sp. (fir) Sorbus oligodonta Calluna vulgaris (heather) do do Vaccinium vitis-idaea (lingon-						Ala. D. C. N. Y. D. C. N. Y. Do. Do. Mass.
Disenses: Botrytis allii Colletotrichum atramentarium Fusictadium orbiculatum Pratylenchus pratensis Urocystis cepulae	berry). Allium cepa (onion)	1				1	Wash. Ga. N. Y. Pa. Wash.
SWITZERLAND Insects: Bruchidius villosus (Bruchidae) Bryaxis puncticollis (Pselaphidae)	Genista sp. (broom)		1				D. C.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

	linetusive Continued	ł						
		Nu	ımbe tio	r of i	ntero	ep-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
SWITZERLAND—Continued								
Insects—Continued. Frankliniella intonsa (thrips) Laspeyresia splendana (Olethreutidae). Orthezia cataphracta (Coccidae) Psylla rhododendri (Psyllidae) Taeniothrips picipes (thrips) Thrips robustus (thrips) Diseascs: Heterodera marioni Pucciniastrum myrtilli	Gentiana sp. (gentian)		1 1 2 1 1				N. Y. Calif.* N. Y. Do. Do. D. C.	
	Azalea sp		1				Pa.	
SYRIA Diseases: Cytospora sacchari. Phoma russeliae.	cane).						N. Y. Do.	
TAHITI Insects: As pidiotus destructor (Coccidae) Tineid.	Cocos nucifera (coconut)					1 1	Hawaii.* Do.*	
Diseases: Diplodia cococarpa malaccensis	do		1				Mass.	
Tasmania Diseases: Physalospora malorum Thahland	Malus sylvestris (apple)					1	Pa.	
Insects: Parlatoria pseudas pidiotus (Cocci-	Vanda sp. (orchid)		1				Calif.*	
dae). Pinnaspis townsendi (Coccidae) Vinsonia stellifera (Coccidae)	Vanda caerulea (orchid) Cypripedium philippinense (or- chid).						D. C. Calif.*	
Diseases: Diplodia henriouesiana Diplodia paraphysaria Macrophoma oncidii Physalospora orchidearum	do		1				D. C. Do. Calif.* Do.*	
TRINIDAD Insects:								
Asterolecanium miliaris longum (Coccidae).	Bamboo						N. Y.	
Aulacaspis mangiferae (Coccidae) Conotrachelus sp. (Curculionidae) Euscepes postfasciatus (West Indian sweetpotato weevil).	Mangifera indica (mango) Theobroma cacao (cacao) Ipomoea batatas (sweetpotato) _					1	Md. La. Do.	
Furcaspis biformis (Coccidae) Do Gymnandrosoma sp. (Olethreutidae).	Oncidium sprucei (orchid) Schomburgkia crispa (orchid) _ Theobroma cacao (cacao)		1	1			D. C. Do. La.	
Laspeyresia sp. (Olethreutidae) Olethreutid Do Pinnaspis minor strachani (Cocci-	do	 1		1 1 1 2			Do. Do. Do. P. R.	
dae). Targionia hartii (Coccidae)	Dioscorea sp. (yam)			1			N. Y. Do.	
Vinsonia stellifera (Coccidae) Diseases: Cercospora musae Hemiloja opoidii	Stanhopea sp. (orchid) Musa sp. (banana) Oncidium maculatum (orchid)		1	 1 1			D. C. N. Y. Do.	
Hemileia oncidii	Onciaium maculatum (orchid) -			1			10.	
Insects: Amphicerus bimaculatus (Bostrichidae).	Unknown root		1				D. C.	
Bruchidius biguttatus fulvipennis (Bruchidae).	Undetermined seed			1			Do.	

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

		Nt	ımbe tic	er of i		eep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
TURKEY—Continued							
Insects—Continued. Bruchidius bimaculatus (Bruchidae) Do Bruchidius villosus (Bruchidae) Bruchus atomarius (Bruchidae) Bruchus brachialis (vetch bruchida) Do Bruchus dentipes (Bruchidae) Bruchus emarginatus (Bruchidae) Bruchus envi (Bruchidae) Bruchus leticollis (Bruchidae) Bruchus leticollis (Bruchidae) Do Bruchus leticollis (Bruchidae) Bruchus letis (Bruchidae) Bruchus signaticornis (Bruchidae) Bruchus tristiculus (Bruchidae) Do Bruchus tristiculus (Bruchidae) Do Haplothrips distinguendus (thrips)	Medicago sativa (alfalfa) Medicago sp. Legume seed. Vicia spp. (vetch) Lathyrus sp Vicia sp. (vetch) do Lens esculenta (lentil) Vicia sp. (vetch) Lathyrus sp Legume seed Lens csculenta (lentil) do Lathyrus odoratus (sweet pea) Lathyrus sp do Vicia sp. (vetch) Stipa sp. (vetch)			1			D. C. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do
Insects: Amblycerus robiniae (Bruchidae) Asterolecanium stentae (Coccidae) Ceratitis sp. (Trypetidae) Chionaspis euphorbiae (Coccidae) Chionaspis subnudata (Coccidae) Diaplochelus longipes (Scarabaeidae) Frankliniella schultzei (thrips)	On paper wrapper around peach. Euphorbia triangulus. Stapletonia woodii Protea sp. Ornithogalum thyrsoides (chinkerichee).		1 1 1 1 1	1			N. Y. D. C. N. Y. D. C. Do. N. Y. Md.
Do Haplothrips nigricornis (thrips) Notodontid Phlyctinus callosus (Curculionidae) Specularius erythrinae (Bruchidae) Do Sternochetus mangiferae (mango weevil), Taeniothrips fumosa (thrips) Tortricid Do	dodododododododo.	1	13 7 1 1 1 1 2 1 3			1	N. Y. Do. Do. Do. D. C. N. Y. Mass. N. Y. Tex. N. Y.
Doscases: Heterosporium ornithogali. Do. Do. Do. Do. Puccinia ornithogali-thyrsoides. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do			1 4 1 8 12 2 2 4 1 1 1 2 2				Mass. Mich. Minn. N. Y. Pa. Wash. Md. Mass. Mich. Minn. N. Y.
Union of Soviet Socialist Republics Insects: Baris lepidii (Curculionidae)	Radicula armoracia (horseradish).					3	N. Y.
Diseases: Botrytis allii Scptoria lepidii			<u>-</u> -			1	Do. Ill.

		Nu	mbei tic	r of in	ntero	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
VENEZUELA							
Insects: Acanthoscelides bixae (Bruchidae) Anastrepha sp. (Trypetidae) Aspisoma costatum (Lampyridae) Do Aspisoma costatum var. (Lampyri	Bixa orellana	 1 1 1	1	1			D. C. N. Y. D. C. P. R. D. C.
dae). Asterolecanium aureum (Coccidae) Coccus mangiferae (Coccidae) Conchaspis angraeci (Coccidae) Do Epopterus ocellatus (Endomychidae)	Orchid Mangifera indica (mango) Catlleya sp Orchid do	1 1		1 1			P. R. Pa. D. C. P. R.
Eurytoma orchidearum (orchid fly) - Do. Furcas pis bifor mis (Coccidae)	Cattleya sp Orchid Cattleya sp Orchid	9		4			D. C. Do. P. R. D. C. Do.
Do. Lecaniodiaspis dendrobii (Coccidae) - Lygaeus guatemalanus (Lygaeidae) - Macrosiphum luteum (aphid)	dodo. Cattleya sp. (orchid) Cattleya mossiae var. (orchid) Orchid.	1 1 2		2			P. R. D. C. Do. N. Y. Fla *
Mordellistena sp. (Mordellidae) Psychid Pulvinaria psidii (Coccidae) Rhagoletis sp. (Trypetidae) Tenthecoris bicolor (Miridae)	Cattleya spdo do Gardenia florida (Cape-jasmine) Malus sylvestris (apple) Cattleya mossiae var	1 1 1 1 1		1			D. C. Do. Fla.* Do.* N. Y.
Do	Cattleya sp. Musa sp. (banana) Orchid Cattleya sp. (orchid)	1 1 1 1 1					D. C. N. Y. D. C. Do.
Trametes hydnoides VICTORIA Insects: Taeniothrips simplex (gladiolus	Broad leaf	1					Do.
thrips).	Giagnoria Sp.	1					W don't
VIRGIN ISLANDS Insects: Anastrepha sp. (Trypetidae)	Chrysobalanus icaco (coco-		1				N. Y.
Euscepes postfasciatus (West Indian sweetpotato weevil).	plum). Ipomoea batatas (sweetpotato).		1				Do.
Pectinophora gossypiella (pink boll-worm).	Hibiscus esculentus (okra)		1				Do.
Pinnaspis minor strachani (Coccidae). Targionia hartii (Coccidae) Targionia sacchari (Coccidae)	Punica granatum (pomegranate). Dioscorea sp. (yam) Saccharum officinarum (sugar-		1 2 1				Do. Do. Do.
WEST AFRICA Insects:	cane).		1				D0.
Colobicus marginatus (Colydiidae)	Lovea klaineana (African walnut).	1					Do.
Xyleborus affinis (Scolytidae) West Indies	do	1					Do.
Diseases: Ceratostomella fimbriata	Xanthosoma sp. (malanga)		- -	1			N. Y.
YUGOSLAVIA Insects: Blastodacna sp. (Cosmopterygidae) - Bruchus brachialis (vetch bruchid) Forficula auricularia (European ear- wig).	Malus sylvestris (apple)	1					D. C. N. Y. Pa.
Las peyresia splendana (Olethreutidae). Diseases:	Castanea sp. (chestnut)			1			N. Y.
Aphelenchoides fragariae	Begonia sp Juglans regia (Persi££ walnut)_	1		1			Do. Do.

List, by countries, of pests collected and reported from July 1, 1938, to June 30, 1939, inclusive—Continued

			mbe tio				
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Unknown Origin							
Insects: Altica luzonica (Chrysomelidae) Anastrepha serpentina (dark fruit- fly).	In quarters of Clipper Citrus sinensis (orange)			1	1		Hawaii.* La.
Callosobruchus chinensis (Bruchidae) Dacus oleae (olive fruitfly) Geotomus pygmaeus (Cydnidae) Lophocateres pusillus (Siamese grain	On empty shelf in dry stores Olea europaea (olive) In quarters of Clipperdo				 1 1	1 1	Wash. Pa. Guam. Do.
beetle). Maruca testulalis (East Indian bean	do				1		Do.
pod borer). Pectinophora gossypiella (pink boll-	Gossypium sp. (seed cotton)		1				N. Y.
worm). Perkinsiella saccharicida (sugarcane	In quarters of Clipper				1		Hawaii.*
leafhopper). Trypetid	In quarters of airplane				1		Fla.*
Diseases: Bacterium citri Phoma citricarpa	Citrus sinensis (orange) Citrus nobilis (King orange)			1		1	Wash. Calif.*





